


**emcon**

3300 N. San Fernando Boulevard • Burbank, California 91504 • (818) 841-1160 • Fax (818) 846-9280

 June 13, 1996  
 Project 20H93-001.06

Mr. Jim Ross  
 Section Chief - Site Cleanup Unit  
 California Regional Water Quality Control Board  
 Los Angeles Region  
 101 Centre Plaza Drive  
 Monterey Park, California 91754-2156

Re: File No. 95-066: First Quarter Progress Report 1996  
 The Dial Corp. Main Facility and South Parking Lot  
 9300 and 9400 Rayo Avenue  
 South Gate, California

Dear Mr. Ross:

This letter report presents the results of the semiannual groundwater monitoring conducted during the first quarter of 1996 at the Dial Corp. (Dial) former Main Facility at 9300 Rayo Avenue in South Gate, California (Figure 1). Further, this letter presents an update of the progress and the status of additional site activities at the Main Facility and at the South Parking Lot site, located at 9400 Rayo Avenue, immediately south of the Main Facility. The current semiannual groundwater sampling program and the recently completed vapor extraction program were initiated voluntarily by Dial. In a letter dated July 7, 1995, the RWQCB agreed to oversee closure of environmental issues for both soil and groundwater at the former Dial Main Facility and South Parking Lot.

## BACKGROUND

**Main Facility.** The Main Facility was formerly used for soap and bleach manufacturing by the Purex Corporation, then later by Dial. The facility was operational from the 1930s until December 1991. Since early 1992, site assessment and remediation activities have been performed by EMCON on behalf of Dial, in an effort to prepare the property for sale. Dial initiated a Phase I Assessment to identify areas of concern where past activities could have impacted subsurface soil and groundwater (Phase One, November 1991). Three subsequent phases of assessment (EMCON, August 5, 1992; April 9, 1993) have been conducted to assess former waste management units, process and storage areas, and former underground storage tanks. Low concentrations of aromatic hydrocarbon compounds (BTEX) and halogenated volatile organic compounds (VOCs) have been reported in monitoring wells located downgradient of two former underground storage tanks (USTs) that were located next to a former maintenance garage in the central portion of the property. A soil vapor extraction (SVE) program to remediate petroleum hydrocarbon and VOC-impacted soil in this area was initiated in late January 1995 and concluded in December, 1995.

The RWQCB completed their review of previous assessment activities and forwarded their comments and conditions for closure in a letter to Dial dated February 13, 1996. A response to the comments and a closure plan is in preparation and will be forwarded to the RWQCB in the second quarter, 1996.

The Main Lot buildings and structures are currently scheduled for demolition in early April, 1996. The demolition of the building is scheduled to be completed by mid-August, 1996.

**South Parking Lot.** The South Parking Lot site was closed at the same time as the Main Facility in 1991. The Pacific Cast Iron Fittings Company (Pacific) occupied the site beginning sometime in the early 1930s before Dial converted the property to a parking lot. The Pacific facility contained foundry, molding, and pattern shop areas. Assessment activities conducted in 1992 and 1993 identified petroleum hydrocarbon impacted soils in the area of well MW-8 and the former cleaning room of the Pacific facility (EMCON, July 31, and November 18, 1992). A remedial action plan (RAP) for the removal of these soils was forwarded to the Los Angeles County Fire Department (LACFD) for approval (EMCON, September, 1993). The LACFD did not respond to the proposed RAP.

In a letter to Dial dated July 7, 1995, the RWQCB agreed to oversee closure of the environmental issues for both soil and groundwater at the former Dial Main Facility and South Parking Lot. Under a voluntary cleanup contract with Dial, the RWQCB began reviewing site assessment data for both sites in July 1995. They concluded from their review of the South Parking Lot data that additional assessment was required before closure of the soil and groundwater could be granted (RWQCB October 19, 1995).

Following the RWQCB's request for additional assessment, EMCON performed a survey of adjacent properties to assess the potential for off-site sources of VOCs. This survey revealed several sites with documented releases of VOCs to the soil and groundwater crossgradient and upgradient of the South Parking Lot and sites where VOCs had been used in past manufacturing operations. Given the site data generated from the assessment programs and the documented off-site sources of impacted groundwater, EMCON concluded that no on-site sources of VOCs were found on the South Parking Lot that may have contributed to groundwater VOC impacts detected beneath the site in wells MW-8 and MW-10 (EMCON November 7, 1995).

Following completion of this survey of adjacent properties, EMCON met with the RWQCB to discuss their requirements for additional assessment. EMCON prepared a workplan outlining an investigative program to close the data gaps (EMCON November 29, 1995) and the RWQCB verbally approved the assessment program on December 1, 1995.

On December 6, 8, and 19, 1995, EMCON performed site assessment activities on the Dial South Parking Lot which consisted of drilling and sampling twelve (12) exploratory

soil borings to a maximum depth of 20 feet bgs and collecting vapor samples from three (3) existing vapor extraction wells for analysis of VOC content in soil gas below the former cleaning room (EMCON January 8, 1996).

In response to the results of the additional assessment program conducted in December 1995, on January 16, 1996, the RWQCB granted closure to further soil investigation. In addition, Dial was excluded as a responsible party for the impacted groundwater beneath the site identified by groundwater samples from wells MW-8 and MW-10. Further, in their January 16, 1996, letter to Dial, the RWQCB approved EMCON's September 1993 RAP for excavating residual hydrocarbon-impacted soils in the area of the former Pacific cleaning room. In February 1996, EMCON completed remedial excavation activities at the Dial South Parking Lot site. Approximately 750 cubic yards of soil was removed to meet the cleanup objectives set forth in the RAP. Waste manifests for the soil hauled to the Bradley Class III Landfill and TPS Technologies in Adelanto are included in Attachment 2. On March 29, 1996, the RWQCB issued a "No Further Action" letter to Dial for the southern parking lot.

The groundwater monitoring wells MW-8, MW-9, and MW-10 are scheduled for destruction in the second quarter, 1996.

## **SEMI-ANNUAL GROUNDWATER MONITORING PROGRAM**

### **Semiannual Groundwater Sampling**

The former Main Facility and South Parking Lot are located within the Central Ground Water Basin (Central Basin) of the Los Angeles Coastal Plain. Recognized aquifers include the Exposition and Gage Aquifers of the Lakewood Formation; and the Jefferson, Lynwood, and Silverado Aquifers of the San Pedro Formation (DWR, 1988). According to the Los Angeles County Department of Public Works (LACDPW), Hydrologic Records Division, the nearest water well is located approximately 1/4-mile east of the Main Facility (well 1525G) across the Los Angeles river and south of Firestone Boulevard, where the ground surface elevation is 102.5 feet above mean sea level (AMSL). The depth to water in well 1525G measured on May 15, 1995 was 80 feet below ground surface (bgs), at an elevation of approximately 22.5 feet AMSL. Groundwater at this elevation would be contained within the uppermost portion of the Exposition aquifer. The top of the Exposition Aquifer is estimated to occur at a depth of approximately 80 feet bgs (DWR, 1961).

A total of ten (10) groundwater monitoring wells (MW-1 through MW-10) have been installed at locations either on or adjacent to the Main Facility (Figure 2). Wells MW-1 through MW-3 were installed on-site near the perimeter of the Main Facility. Wells MW-4 and MW-5 were installed off-site and are situated hydrologically

cross-gradient from well MW-3 to assess a suspected off-site source of VOCs. On-site wells MW-6 and MW-7 were installed downgradient from a former underground storage tank (UST) that was located near the old garage adjacent to Building 2. Wells MW-8, MW-9, and MW-10 were installed in the South Parking Lot to assess on-site groundwater conditions and a suspected upgradient source of VOCs. Well completion details for these monitoring wells are presented in Table 1.

During the initial sampling event in September 1992, groundwater samples collected from wells MW-6 and MW-7 contained benzene concentrations of 5.8 and 10 µg/L (micrograms per liter), respectively (Table 2). Benzene was not reported in groundwater samples collected from upgradient well MW-1 or downgradient well MW-2, and VOCs were not reported (<5 µg/L) in groundwater samples collected from wells MW-1, MW-2, MW-6 and MW-7 (Table 2). Based on these results, Dial initiated semi-annual monitoring of wells MW-1, MW-2, MW-6, and MW-7 (EMCON, November 16, 1993).

Because of a suspected off-site source of VOCs, groundwater monitoring wells MW-3, MW-4, MW-5, MW-8, MW-9, and MW-10 have been excluded from the semiannual monitoring program (Table 2). Wells MW-3, MW-4, and MW-5 are situated cross- and upgradient from wells MW-6 and MW-7 and have historically contained VOC concentrations above those reported in groundwater samples collected from onsite wells (Figure 2). Wells MW-8 and MW-10 are located downgradient of the Main Facility and show a similar pattern of elevated VOC concentrations. In addition, VOCs were not reported above method reporting limits in soil samples collected from 26 soil borings drilled in the former South Parking Lot. Monitoring well MW-9 was installed in a perched aquifer and has been dry during subsequent monitoring events.

### Quarterly Gauging

On March 5, 1996, monitoring wells MW-1 through MW-10 were gauged but were not sampled. The groundwater monitoring field data sheets are presented in Attachment 1.

Groundwater levels were measured using a Solnist electronic sounder. The depths to groundwater measured in wells MW-1 through MW-8, and MW-10 ranged from 43.85 to 47.78 feet bgs and have decreased slightly since the fourth quarter 1995 sampling event by an average of 0.47 foot. The maximum groundwater elevation increase was 0.55 foot measured in well MW-5, and the minimum decrease was 0.37 feet measured in well MW-6 (Table 2). Monitoring well MW-9 was installed in a perched aquifer and was found to be dry.

The groundwater levels have generally shown a gradual increase since March, 1993. The increase in water-levels measured in monitoring wells screened within the semi-perched aquifer located above the Exposition Aquifer may be attributed to seasonal groundwater fluctuations and/or a reduction in basinwide groundwater extraction. The groundwater



flow direction and the gradient showed no significant changes since the last quarterly sampling event. Based on groundwater levels measured in monitoring wells groundwater flows to the south at a gradient of approximately 0.003 ft/ft (Figure 2).

## **SOIL VAPOR EXTRACTION: MAIN AREA - FORMER GARAGE FACILITY**

Three phases of site assessment activity have been conducted in the area of the former USTs and the old garage near Building 2 (Figure 2) (EMCON, August 5, 1992; April 9, 1993). Thirteen exploratory soil borings (B5, B26-B28, B44-B50, MW-6 and MW-7) were drilled to depths of approximately 50 to 75 feet bgs in these areas to assess the lateral and vertical extent of petroleum hydrocarbons and VOCs. TPH was detected at concentrations up to 13,000 mg/kg in soil samples collected from these borings at depths between 10 and 40 feet bgs in the area of the old garage. In addition, 1,2-DCA and chloroform were reported at concentrations up to 290 and 360 ug/kg, respectively, in soil samples collected at depths between 10 and 50 feet bgs (EMCON, April 9, 1993). Seven of the 13 exploratory borings drilled in the area of the old garage were converted to vapor extraction wells (VW-1 through VW-7) and vapor extraction well nests (Figure 2).

Dial voluntarily initiated remedial activities to mitigate BTEX- and VOC-impacted soil in the area of the old garage using the network of seven vapor extraction wells. A soil vapor extraction test (VET) was initially implemented from October to December, 1993. By the end of the VET, approximately 12,848 pounds of hydrocarbons had been removed using an internal combustion engine as the emissions control device. The influent hydrocarbon concentration to the emissions control equipment dropped from 36,000 parts per million by volume (ppmv) in September to 4,200 ppmv in November, 1993.

The soil vapor extraction (SVE) program was restarted on January 26, 1995, using a Stealth Industries (SI 250) 250 scfm thermal/catalytic oxidizer. The system utilized a network of above-ground conveyance piping connected to wells VW-1, VW-2, VW-3, VW-4 and VW-5. During the SVE program the vapor extraction wells were cycled (periodically opened and closed) to induce oxygen into the subsurface and to maximize recovery of the hydrocarbons from the soil matrix.

The remedial effort, including the internal combustion engine (ICE) operation in 1993 and the SI 250 operation, has removed 34,274 lbs. of TVH as gasoline. The highest TVH concentration (C<sub>5</sub>-C<sub>12</sub> range) recorded during the remedial efforts was 36,000 ppmv, and the latest TVH concentration was 470 ppmv. Benzene was also not reported in the latest influent sample to the thermal oxidizer, indicating the SVE program had reached its engineered efficiency. For a summary of the system mass removal data see EMCON (February 23, 1996) and Table 3; and for a graphical representation see and Charts 1 and 2.

## **DISCUSSION**

The SVE data collected in November and December 1995 followed an expected trend, with declining TVH concentrations and an absence of benzene in the extracted vapor. The absence of benzene in influent vapor samples and the declining TVH trend suggests that the remedial program had reached its peak efficiency in removing volatile hydrocarbon compounds from soil in the area of the former USTs and old garage. Periodic cycling of the extraction wells (opening and closing) over the life of the project had enhanced extraction efficiency and served to increase oxygen levels in the subsurface 10 to 15 ppmv. Based on a short term respirometry test in early December 1995, it appears that insitu biodegradation of hydrocarbons by indigenous bacteria is occurring. Increased levels of CO<sub>2</sub> and decreased levels of oxygen was measured in wells that have historically produced the highest vapor concentrations indicate that hydrocarbons are being degraded. Wells that have historically produced low vapor concentrations showed no significant change in oxygen consumption or CO<sub>2</sub> production. Given the absence of benzene in the extracted vapor and the steadily decreasing concentrations of volatile hydrocarbons in the SVE wells, the SVE program was shutdown in late December 1995.

A workplan for confirmatory borings, consisting of three borings within the footprint of the former zone of impacted soils, will be forwarded to the RWQCB during the second quarter of 1996.

## **WORK TO BE PERFORMED NEXT QUARTER**

- Selected groundwater monitoring wells located at the Main Facility and the South Parking Lot will be gauged, sampled, and analyzed for total petroleum hydrocarbons (TPH) and VOCs by U.S. EPA Methods modified 8015 and 8260, respectively.
- The second quarter groundwater monitoring report will be prepared.
- Asbestos abatement and site demolition activities were initiated at the Main Facility during April 1996. EMCON will monitor these activities and address any environmental concerns.
- EMCON will forward a confirmatory boring plan to the RWQCB for review and approval to close the SVE program in the area of the old garage and laboratory on the Main Facility.
- EMCON will forward a closure plan for the Main Facility Waste Management Units (WMUs) to the RWQCB for review and approval. The plan will contain the elements responding to the RWQCB letter of February 13, 1996.

Mr. Jim Ross  
June 13, 1996  
Page 7

Project 20H93-001.06

- EMCON will forward a workplan for destruction of the monitoring wells on the South Parking Lot to the RWQCB for review and approval. The wells are scheduled for destruction in the 2nd Quarter of 1996.


This letter report was prepared consistent with current and generally accepted environmental consulting practices that are within the limitations described in Attachment 3. If you have any questions regarding this progress report, please contact us at (818) 841-1160.

Sincerely,

EMCON



Mark Kuncir  
Staff Geologist



Michael E. Flack, R.G. #5473  
Project Manager

Attachments: References

- Table 1 - Well Completion Details
- Table 2 - Summary of Groundwater Analytical Results
- Table 3 - Benzene and TVH Gasoline Mass Removal Data
- Figure 1 - Site Location Map
- Figure 2 - Groundwater Contour Map, March 5 1996
- Chart 1 - TVH Concentration & Mass Removal vs. Operating Hours
- Chart 2 - Benzene Concentration & Mass Removal vs. Operating Hours
- Attachment 1 - Groundwater Gauging Field Data Sheets
- Attachment 2 - Waste Manifests from Remedial Excavation - Dial South Parking Lot
- Attachment 3 - Limitations

cc: Mr. John Ferguson - The Dial Corp.

Mr. John Lang - Quantum Management Group, Inc.

Ms. Jenny Au, California Regional Water Quality Control Board - Los Angeles Region

## REFERENCES

---

- DWR, April 1988, Planned Utilization of Groundwater Resources of The Central Plain of Los Angeles County - Bulletin 104 Groundwater Hydrogeology: Department of Water Resources, Sacramento, California.
- EMCON, July 31, 1992, Phase II and III Site Assessment Report, South Parking Lot at 9400 Rayo Avenue, South Gate, California. EMCON Associates, Burbank California.
- EMCON, August 5, 1992, Phase II and III Subsurface Assessment Report - Main Facility: The Dial Corporation, 9300 Rayo Avenue, South Gate, California: EMCON Associates, Burbank, California.
- EMCON, November 18, 1992, Phase IV Site Assessment Report, Dial South Parking Lot, 9400 Rayo Avenue, South Gate, California. EMCON Associates, Burbank California.
- EMCON, April 9, 1993, Phase IV Site Assessment Report, The Dial Corporation, Main Facility, 9300 Rayo Avenue, South Gate, California. EMCON Associates, Burbank California.
- EMCON, July 6, 1993, Notification of Impacted Groundwater, The Dial Corporation, Main Facility at 9300 Rayo Avenue, South Gate, California. EMCON Associates, Burbank California.
- EMCON, November 16, 1993, Semi-Annual Groundwater Sampling and Analysis, The Dial Corporation, 9300 Rayo Avenue, South Gate, California. EMCON Associates, Burbank California.
- EMCON, February 23, 1996. Remedial Progress Update (December, 1995), Former Dial Corp. Facility, 9300 Rayo Avenue, South Gate: EMCON, Burbank, California
- EMCON, March 20, 1996, Excavation and Closure Report, The Dial Corporation, South Parking Lot , 9400 Rayo Avenue, South Gate, California. EMCON, Burbank, California.
- LACDPW, April 1990; Hydrologic Report 1988-89, Los Angeles Department of Public Works.
- Phase One, November, 1991, Phase I Environmental Assessment for the Dial Corporation: Phase One Incorporated.
- RWQCB, February 13, 1996, Former Dial Facility - Main Area - 9300 Rayo Avenue, South Gate (File 95-066), RWQCB, Los Angeles, California

## TABLES

**Table 1**  
**Well Completion Details**  
**Dial Corporation**  
**9300 Rayo Avenue, South Gate, California**  
**Los Angeles**

Project H93-001.05

Well Number	MW-1	MW-2	MW-3	MW-4	MW-5
Date Installed	4/3/92	4/2/92	4/3/92	6/4/92	6/4/92
Well Permit	129589	129589	129589	verbal *	verbal *
Casing Material		Sch 40 PVC	Sch 40 PVC	Sch 40 PVC	Sch 40 PVC
Well Box Style	EMCO-Wheaton	EMCO-Wheaton	EMCO-Wheaton	EMCO-Wheaton	EMCO-Wheaton
<b>A. Boring Diameter (inches)</b>	10	10	10	10	10
<b>B. Casing Diameter (inches)</b>	4	4	4	4	4
<b>C. Total Depth of Boring (feet)</b>	65.5	70.5	72.0	76.0	75.0
<b>D. Total Depth of Well (feet)</b>	64.7	69.7	71.0	76.0	70.1
<b>E. Top of Casing Elevation (feet)</b>	107.69	105.65	107.24	106.39	109.71
<b>F. Top of Well Box Elevation (feet)</b>	108.11	105.92	107.95	106.95	110.14
<b>G. Perforated Interval</b>					
Perforation Size (inches)	0.020	0.020	0.020	0.020	0.020
Perforation Type	machine slot	machine slot	machine slot	machine slot	machine slot
Depth of Bottom (feet)	64.1	69.1	70.5	75.4	69.5
<b>H. Depth of Top (feet)</b>	44.6	49.6	50.9	45.6	40.0
Length (feet)	19.5	19.5	19.6	29.8	29.5
<b>I. Surface Seal</b>					
Material	concrete	concrete	concrete	concrete	concrete
Depth of Bottom (feet)	2.0	2.0	2.0	2.7	1.3
Depth of Top (feet)	0.0	0.0	0.0	0.0	0.0
Thickness (feet)	2.0	2.0	2.0	2.7	1.3
<b>J. Backfill-Seal(s)</b>					
Material	bentonite	bentonite	bentonite	bentonite	bentonite
Depth of Bottom (feet)	42.0	47.0	47.2	44.0	38.0
Depth of Top (feet)	2.0	2.0	2.0	2.7	1.3
Thickness (feet)	40.0	45.0	45.2	41.3	36.7
<b>K. Gravel Pack(s)</b>					
Material	2/12 Lonestar	2/12 Lonestar	2/12 Lonestar	2/12 Lonestar	2/12 Lonestar
Depth to Bottom (feet)	64.7	69.7	71.0	76.0	70.1
Depth to Top (feet)	42.0	47.0	47.2	44.0	38.0
Thickness (feet)	22.7	22.7	23.8	32.0	32.1
<b>L. Bottom Seal</b>					
Material	native	native	native	--	native
Depth of Bottom (feet)	65.5	70.5	72.0	--	75.0
Depth of Top (feet)	64.7	69.7	71.0	--	70.1
Thickness (feet)	0.8	0.8	1.0	--	4.9

\* verbal approval by Al Bragg, Los Angeles County Dept. of Public Works on 5/29/92

**Table 1**  
**Well Completion Details**  
**Dial Corporation**  
**9300 Rayo Avenue, South Gate, California**  
**Los Angeles**

Project H93-001.05

Well Number	MW-6	MW-7	MW-8	MW-9
Date Installed	8/19/92	8/19/92	8/19/92	8/19/92
Well Permit	134051*	134051*	237706	237706
Casing Material	Sch 40 PVC	Sch 40 PVC	Sch 40 PVC	Sch 40 PVC
Well Box Style	EMCO-Wheaton	EMCO-Wheaton	EMCO-Wheaton	EMCO-Wheaton
<b>A. Boring Diameter (inches)</b>	10.0	10.0	10.0	10.0
<b>B. Casing Diameter (inches)</b>	4.0	4.0	4.0	4.0
<b>C. Total Depth of Boring (feet)</b>	70.0	70.0	76.5	41.5
<b>D. Total Depth of Well (feet)</b>	70.0	68.5	75.0	25.0
<b>E. Top of Casing Elevation (feet)</b>	106.88	107.01	107.07	107.35
<b>F. Top of Well Box Elevation (feet)</b>	107.40	107.43	107.34	107.67
<b>G. Perforated Interval</b>				
Perforation Size (inches)	0.0	0.0	0.0	0.0
Perforation Type	machine slot	machine slot	machine slot	machine slot
Depth of Bottom (feet)	69.4	68.1	75.0	25.0
<b>H. Depth of Top (feet)</b>	44.8	43.5	45.0	5.0
Length (feet)	24.6	24.6	30.0	20.0
<b>I. Surface Seal</b>				
Material	concrete	concrete	concrete	concrete
Depth of Bottom (feet)	3.0	1.8	2.0	2.5
Depth of Top (feet)	0.0	0.0	0.0	0.0
Thickness (feet)	3.0	1.8	2.0	2.5
<b>J. Backfill-Seal(s)</b>				
Material	volclay grout bentonite	volclay grout bentonite	volclay grout bentonite	-- bentonite
Depth of Bottom (feet)	39.0 42.0	36.0 39.6	41.0 43.0	-- 4.0
Depth of Top (feet)	3.0 39.0	3.0 36.0	2.0 41.0	-- 2.5
Thickness (feet)	36.0 3.0	33.0 3.6	39.0 2.0	-- 1.5
<b>K. Gravel Pack(s)</b>				
Material	2/12 Lonestar	2/12 Lonestar	No. 3 Lonestar	No. 3 Lonestar
Depth to Bottom (feet)	70.0	68.7	76.5	25.0
Depth to Top (feet)	42.0	39.6	43.0	4.0
Thickness (feet)	28.0	29.1	33.5	21.0
<b>L. Bottom Seal</b>				
Material	--	native	--	native
Depth of Bottom (feet)	--	70.0	--	41.5
Depth of Top (feet)	--	68.7	--	25.0
Thickness (feet)	--	1.3	--	16.5

\* verbal approval by Al Bragg, Los Ar

**Table 1**  
**Well Completion Details**  
**Dial Corporation**  
**9300 Rayo Avenue, South Gate, California**  
**Los Angeles**

Project H93-001.05

Well Number	MW-10	VW-1	VW-2	VW-3
Date Installed	8/19/92	8/17/92	8/18/92	8/18/92
Well Permit	237706	NA	NA	NA
Casing Material	Sch 40 PVC	Sch 40 PVC	Sch 40 PVC	Sch 40 PVC
Well Box Style	EMCO-Wheaton	EMCO-Wheaton	EMCO-Wheaton	EMCO-Wheaton
<b>A. Boring Diameter (inches)</b>	10.0	10.0	10.0	10.0
<b>B. Casing Diameter (inches)</b>	4.0	4.0	2.0	2.0
<b>C. Total Depth of Boring (feet)</b>	76.5	51.0	51.0	51.0
<b>D. Total Depth of Well (feet)</b>	75.0	50.0	50.0	50.0
<b>E. Top of Casing Elevation (feet)</b>	107.25	NA	NA	NA
<b>F. Top of Well Box Elevation (feet)</b>	107.54	NA	NA	NA
<b>G. Perforated Interval</b>				
Perforation Size (inches)	0.0	0.02	0.02	0.02
Perforation Type	machine slot	machine slot	machine slot	machine slot
Depth of Bottom (feet)	75.0	50.0	35.0 50.0	35.0 50.0
<b>H. Depth of Top (feet)</b>	45.0	5.0	5.0 40.0	5.0 40.0
Length (feet)	30.0	45.0	30.0 10.0	30.0 10.0
<b>I. Surface Seal</b>				
Material	concrete	concrete	concrete	concrete
Depth of Bottom (feet)	2.0	2.0	2.0	2.0
Depth of Top (feet)	0.0	0.0	0.0	0.0
Thickness (feet)	2.0	2.0	2.0	2.0
<b>J. Backfill-Seal(s)</b>				
Material	volclay grout bentonite	bentonite	bentonite	bentonite
Depth of Bottom (feet)	41.0 43.0	5.0	5.0 40.0	5.0 40.0
Depth of Top (feet)	2.0 41.0	2.0	2.0 35.0	2.0 35.0
Thickness (feet)	39.0 2.0	3.0	3.0 5.0	3.0 5.0
<b>K. Gravel Pack(s)</b>				
Material	No. 3 Lonestar	2/12 Lonestar	2/12 Lonestar	2/12 Lonestar
Depth to Bottom (feet)	76.5	51.0	35.0 51.0	35.0 51.0
Depth to Top (feet)	43.0	5.0	5.0 40.0	5.0 40.0
Thickness (feet)	33.5	46.0	30.0 11.0	30.0 11.0
<b>L. Bottom Seal</b>				
Material	--	native	native	native
Depth of Bottom (feet)	--	51.0	51.0	51.0
Depth of Top (feet)	--	50.0	50.0	50.0
Thickness (feet)	--	1.0	1.0	1.0

\* verbal approval by Al Bragg, Los Ar



**Table 1**  
**Well Completion Details**  
**Dial Corporation**  
**9300 Rayo Avenue, South Gate, California**  
**Los Angeles**

Project H93-001.05

Well Number	VW-4		VW-5		VW-6
Date Installed	8/17/92		8/17/92		8/17/92
Well Permit	NA		NA		NA
Casing Material	Sch 40 PVC		Sch 40 PVC		Sch 40 PVC
Well Box Style	EMCO-Wheaton		EMCO-Wheaton		EMCO-Wheaton
<b>A. Boring Diameter (inches)</b>	10.0		10.0		10.0
<b>B. Casing Diameter (inches)</b>	2.0		2.0		4.0
<b>C. Total Depth of Boring (feet)</b>	51.0		51.0		51.0
<b>D. Total Depth of Well (feet)</b>	50.0		50.0		50.0
<b>E. Top of Casing Elevation (feet)</b>	NA		NA		NA
<b>F. Top of Well Box Elevation (feet)</b>	NA		NA		NA
<b>G. Perforated Interval</b>					
Perforation Size (inches)	0.02		0.02		0.02
Perforation Type	machine slot		machine slot		machine slot
Depth of Bottom (feet)	30.0	50.0	35.0	50.0	50.0
<b>H. Depth of Top (feet)</b>	5.0	35.0	5.0	40.0	5.0
<b>Length (feet)</b>	25.0	15.0	30.0	10.0	45.0
<b>I. Surface Seal</b>					
Material	concrete		concrete		concrete
Depth of Bottom (feet)	2.0		2.0		2.0
Depth of Top (feet)	0.0		0.0		0.0
Thickness (feet)	2.0		2.0		2.0
<b>J. Backfill-Seal(s)</b>					
Material	bentonite		bentonite		bentonite
Depth of Bottom (feet)	5.0	35.0	5.0	40.0	5.0
Depth of Top (feet)	2.0	30.0	2.0	35.0	2.0
Thickness (feet)	3.0	5.0	3.0	5.0	3.0
<b>K. Gravel Pack(s)</b>					
Material	2/12 Lonestar		2/12 Lonestar		2/12 Lonestar
Depth to Bottom (feet)	30.0	51.0	35.0	51.0	51.0
Depth to Top (feet)	5.0	35.0	5.0	40.0	5.0
Thickness (feet)	25.0	16.0	30.0	11.0	46.0
<b>L. Bottom Seal</b>					
Material	native		native		native
Depth of Bottom (feet)	51.0		51.0		51.0
Depth of Top (feet)	50.0		50.0		50.0
Thickness (feet)	1.0		1.0		1.0

\* verbal approval by Al Bragg, Los Ar

**Table 1**  
**Well Completion Details**  
**Dial Corporation**  
**9300 Rayo Avenue, South Gate, California**  
**Los Angeles**

Project H93-001.05

<b>Well Number</b>	<b>VW-7</b>		
Date Installed	8/17/92		
Well Permit	NA		
Casing Material	Sch 40 PVC		
Well Box Style	EMCO-Wheaton		
<b>A. Boring Diameter (inches)</b>	10.0		
<b>B. Casing Diameter (inches)</b>	2.0		
<b>C. Total Depth of Boring (feet)</b>	51.0		
<b>D. Total Depth of Well (feet)</b>	50.0		
<b>E. Top of Casing Elevation (feet)</b>	NA		
<b>F. Top of Well Box Elevation (feet)</b>	NA		
<b>G. Perforated Interval</b>			
Perforation Size (inches)	0.02		
Perforation Type	machine slot		
Depth of Bottom (feet)	15.0	30.0	50.0
<b>H. Depth of Top (feet)</b>	5.0	20.0	35.0
Length (feet)	10.0	10.0	15.0
<b>I. Surface Seal</b>			
Material	concrete		
Depth of Bottom (feet)	2.0		
Depth of Top (feet)	0.0		
Thickness (feet)	2.0		
<b>J. Backfill-Seal(s)</b>			
Material	bentonite		
Depth of Bottom (feet)	5.0	20.0	35.0
Depth of Top (feet)	2.0	15.0	30.0
Thickness (feet)	3.0	5.0	5.0
<b>K. Gravel Pack(s)</b>			
Material	2/12 Lonestar		
Depth to Bottom (feet)	15.0	30.0	51.0
Depth to Top (feet)	5.0	20.0	35.0
Thickness (feet)	10.0	10.0	16.0
<b>L. Bottom Seal</b>			
Material	native		
Depth of Bottom (feet)	51.0		
Depth of Top (feet)	50.0		
Thickness (feet)	1.0		

\* verbal approval by Al Bragg, Los Ar

**TABLE 2**  
**Summary of Groundwater Analytical Results**  
**The Dial Corporation**  
**9300 Rayo Avenue, South Gate, California**

Well No. and Elevation (ft-MSL)	Date Sampled	Depth to Water (feet)	Groundwater Elevation (ft-MSL)	Total Petroleum Hydrocarbons (1) (mg/L)	Benzene (2) (µg/L)	Toluene (2) (µg/L)	Ethyl- benzene (2) (µg/L)	Xylenes (2) (µg/L)	1,1-Dichloro- ethane (3) (µg/L)	1,2-Dichloro- ethane (3) (µg/L)	Trichloro- ethylene (3) (µg/L)	1,2-Dichloro- propane (3) (µg/L)
MW-1 (107.69)	20-Apr-92	51.45	56.24	<1.0	NA	NA	NA	NA	<0.5	<0.5	<0.5	<0.5
	11-Sep-92	52.00	55.69	<0.5	<5	<5	<5	<5	<5	<5	<5	<5
	19-Mar-93	50.90	56.79	Water level only								
	30-Sep-93	49.95	57.74	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	06-Apr-94	48.39	59.30	<0.5	<0.3	<0.4	<0.5	<0.6	<0.4	<0.3	<0.4	<0.3
	14-Apr-95	46.08	61.61	<0.04	<0.3	<0.4	<0.5	<0.6	<0.4	<0.3	<0.4	<0.3
	06-Dec-95	44.80	62.89	<0.04	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5
	05-Mar-96	44.40	63.29	Water level only								
MW-2 (105.65)	20-Apr-92	52.73	52.92	<1.0	NA	NA	NA	NA	<0.5	<0.5	<0.5	<0.5
	11-Sep-92	52.60	53.05	<0.5	<5	<5	<5	<5	<5	<5	<5	<5
	19-Mar-93	51.17	54.48	Water level only								
	30-Sep-93	49.84	55.81	<0.05	4	0.5	<0.5	0.8	<0.5	<0.5	<0.5	<0.5
	06-Apr-94	47.74	57.91	<0.5	2.5	<0.4	<0.5	<0.6	<0.4	<0.3	<0.4	<0.3
	14-Apr-95	45.50	60.15	<0.04	1.4	<0.4	<0.5	<0.6	<0.4	<0.3	<0.4	<0.3
	06-Dec-95	44.32	61.33	<0.04	<10*	<10*	<10*	<20*	<10*	<10*	<10*	<10*
	05-Mar-96	43.85	61.80	Water level only								
MW-3 (107.24)	20-Apr-92	53.80	53.44	NA	NA	NA	NA	NA	<0.5	<0.5	26	<0.5
	19-Mar-93	53.83	53.41	Water level only								
	19-Mar-93	52.30	54.94	Water level only								
	30-Sep-93	51.06	56.18	Water level only								
	05-Apr-94	49.15	58.09	Water level only								
	14-Apr-95	47.04	60.20	Water level only								
	06-Dec-95	45.85	61.39	Water level only								
	05-Mar-96	45.44	61.80	Water level only								
MW-4 (106.39)	20-Apr-92	52.40	53.99	NA	NA	NA	NA	NA	<0.5	0.6	28	<0.5
	05-Jun-92	52.59	53.80	Water level only								
	19-Mar-93	51.23	55.16	Water level only								
	30-Sep-93	49.96	56.43	Water level only								
	05-Apr-94	47.95	58.44	Water level only								

**TABLE 2**  
**Summary of Groundwater Analytical Results**  
 The Dial Corporation  
 9300 Rayo Avenue, South Gate, California

Well No. and Elevation (ft-MSL)	Date Sampled	Depth to Water (feet)	Groundwater Elevation (ft-MSL)	Total Petroleum Hydrocarbons (1) (mg/L)	Benzene (2) (µg/L)	Toluene (2) (µg/L)	Ethyl- benzene (2) (µg/L)	Xylenes (2) (µg/L)	1,1-Dichloro- ethane (3) (µg/L)	1,2-Dichloro- ethane (3) (µg/L)	Trichloro- ethylene (3) (µg/L)	1,2-Dichloro- propane (3) (µg/L)
MW-4 (106.39)	14-Apr-95	45.88	60.51	Water level only								
	06-Dec-95	44.68	61.71	Water level only								
	05-Mar-96	44.21	62.18	Water level only								
MW-5 (109.71)	20-Apr-92	56.00	53.71	NA	NA	NA	NA	NA	<5*	<5*	1,400	<5*
	05-Jun-92	56.21	53.50	Water level only								
	19-Mar-93	54.95	54.76	Water level only								
	30-Sep-93	53.62	56.09	Water level only								
	05-Apr-94	51.68	58.03	Water level only								
	14-Apr-95	49.52	60.19	Water level only								
	06-Dec-95	48.33	61.38	Water level only								
	05-Mar-96	47.78	61.93	Water level only								
MW-6 (106.88)	11-Sep-92	53.07	53.81	<0.5	5.8	<5	<5	<5	<5	<5	<5	<5
	19-Mar-93	51.80	55.08	Water level only								
	30-Sep-93	50.47	56.41	0.1	48	2	<0.5	0.9	<0.5	<0.5	<0.5	<0.5
	06-Apr-94	48.54	58.34	<0.5	53	1.6	0.5	0.7	0.7	0.7	<0.4	<0.3
MW-6A	14-Apr-95	46.33	60.55	0.058	27	1.4	<0.5	<0.6	0.5	<0.3	<0.4	<0.3
MW-6B	14-Apr-95	46.33	60.55	0.059	23	1.2	<0.5	<0.6	0.5	<0.3	<0.4	<0.3
	06-Dec-95	45.17	61.71	0.11	17	<0.5	<0.5	<1.0	0.5	0.6	<0.5	<0.5
	05-Mar-96	44.80	62.08	Water level only								
MW-7 (107.01)	11-Sep-92	53.17	53.84	<0.5	10	5.9	<5	<5	<5	<5	<5	<5
	19-Mar-93	52.11	54.90	Water level only								
	30-Sep-93	50.86	56.15	0.3	120	3	2	3	1.3	0.6	0.6	2.0
	06-Apr-94 <sup>(a)</sup>	48.70	58.31	0.6	230	5	4.8	3.7	2.7	1.1	1.8	1.8
	14-Apr-95 <sup>(a)</sup>	46.48	60.53	NA	70	3.9	1.3	2.0	2.1	<0.3	1.6	1.4
	06-Dec-95	45.22	61.79	0.33	65	2.7	2	1.9	1.7	1.1	0.9	1.2
	05-Mar-96	44.73	62.28	Water level only								
MW-8 (107.07)	19-Mar-93	52.97	54.04	NA	<0.5	<0.5	<0.5	<1	<0.5	0.9	200	<0.5
	06-Apr-94 <sup>(a)</sup>	49.76	57.25	Water level only								

**TABLE 2**  
**Summary of Groundwater Analytical Results**  
The Dial Corporation  
9300 Ray● Avenue, South Gate, California

Well No. and Elevation (ft-MSL)	Date Sampled	Depth to Water (feet)	Groundwater Elevation (ft-MSL)	Total Petroleum Hydrocarbons (1) (mg/L)	Benzene (2) (μg/L)	Toluene (2) (μg/L)	Ethyl- benzene (2) (μg/L)	Xylenes (2) (μg/L)	1,1-Dichloro- ethane (3) (μg/L)	1,2-Dichloro- ethane (3) (μg/L)	Trichloro- ethylene (3) (μg/L)	1,2-Dichloro- propane (3) (μg/L)
MW-8 (107.07)	14-Apr-95	47.54	59.47	Water level only								
	06-Dec-95	46.48	60.59	Water level only								
	05-Mar-96	45.95	61.12	Water level only								
MW-9 (107.35)	19-Mar-93	10.23	96.78	NA	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5
	05-Apr-94	dry	--	Water level only								
	14-Apr-95	13.48	93.53	Water level only								
	06-Dec-95	dry	--	Water level only								
	05-Mar-96	dry	--	Water level only								
MW-10 (107.25)	19-Mar-93	53.26	53.75	NA	<0.5	<0.5	<0.5	<1	<0.5	<0.5	11	<0.5
	05-Apr-94	--	--	Water level could not be measured - no site access								
	14-Apr-95	47.92	59.09	Water level only								
	06-Dec-95	46.88	60.37	Water level only								
	05-Mar-96	46.35	60.90	Water level only								
Trip	14-Apr-95	--	--	0.26	<0.3	<0.4	<0.5	<0.6	<0.4	<0.3	<0.4	<0.3
Blank	06-Dec-95	--	--	<0.04	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5
Equip. Blank	06-Dec-95	--	--	<0.04	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5
MCLs (μg/L)					1	150	700	1750	5	0.5	5	5

**Notes:**

Samples analyzed by Golden State/CAS Laboratories Inc., Canoga Park, California.

NA = Not analyzed.

-- = Not applicable

\* = Method reporting limit elevated because the sample required diluting.

(1) Analyzed by U.S. EPA Method 8015 (modified).

(2) Analyzed by U.S. EPA Method 8020 or 8260.

(3) Analyzed by U.S. EPA Methods 8010 / 8240 / 8260.

**TABLE 2**  
**Summary of Groundwater Analytical Results**  
 The Dial Corporation  
 9300 Rayo Avenue, South Gate, California

Well No. and Elevation (ft-MSL)	Date Sampled	Depth to Water (feet)	Groundwater Elevation (ft-MSL)	Total Petroleum Hydrocarbons (1) (mg/L)	Benzene (2) (ug/L)	Toluene (2) (ug/L)	Ethyl- benzene (2) (ug/L)	Xylenes (2) (ug/L)	1,1-Dichloro- ethane (3) (ug/L)	1,2-Dichloro- ethane (3) (ug/L)	Trichloro- ethylene (3) (ug/L)	1,2-Dichloro- propane (3) (ug/L)
--	-----------------	-----------------------------	--------------------------------------	---	-----------------------	-----------------------	---------------------------------	-----------------------	---------------------------------------	---------------------------------------	--------------------------------------	--

(4) Other VOCs by EPA Method 8260 detected were cis-1,2-Dichloroethene (1.0 ug/L) and Chloroform (2.3).

(5) Other VOCs by EPA Method 8260 detected were trans-1,2-Dichloroethene (4 ug/L) and cis-1,2-Dichloroethene (89 ug/L).

(6) Other VOCs by EPA Method 8260 detected were Chloroform (0.4tr), cis-1,2-Dichloroethylene (1.0), Acetone (14tr), Isopropylbenzene (0.3tr) and Naphtalene (0.5). Chloromethane (1.7) was detected in the Method Blank for sampling date 14-Apr-95.

Cis-1,1 dichloroethene (1,1-DCE) which is the daughter product of TCE in anaerobic environments was detected in the groundwater sample collected from well MW-7 at a concentration of 1.0ug/L on 12/6/95.

MCL = Maximum Contaminant Level (MCL) listed in 22 CCR, Section 64444.5 Table 5 "Maximum Contaminant Levels for Organic Consituents."

Certified analytical report included as an attachment.

**Table 3**  
**Benzene and TVH Gasoline Mass Removal Data**  
 In-Situ Vapor Extraction Program  
 Former Dial Facility  
 South Gate, California

4/22/96  
 2314-600.003

Sampling Date	Cumulative Operational Hrs. (1)	Process Flow Rate (SCFM) (2)	Benzene (ppmv) (8)	C5-C12 TVH Gasoline (ppmv) (8)	Benzene Mass Removed (lbs) (9)	TVH Gasoline (C5-C12) Mass Removed (lbs) (9)
2/1/95	54.3	159	52	4400	0	0
2/8/95	219.8	162	40	2500	15	1378
3/28/95	1211.2	35	27	4500	55	6519
5/11/95	2213.2	185	10	2200	81	12072
6/6/95	2842	58	16	3300	93	15232
7/6/95	3556.4	130	2	720	100	17262
8/23/95	4716.4	117	2.3	1100	104	19222
10/9/95	5783.2	101	0	720	106	20814
11/20/95	6423.2	115	0	460	106	21427

## FIGURES AND CHARTS

—

0.5

1.0

1.5

2.0

2.5

3.0

3.5

4.0

4.5

5.0

5.5

6.0

6.5


7.0

7.5

8.0

8.5





**EMCON**  
Associates


THE DIAL CORPORATION  
9300 RAYO AVENUE  
SOUTH GATE, CALIFORNIA

SITE LOCATION MAP

FIGURE

1

PROJECT NO.  
0493-001.04



0 50 100 FEET  
SCALE

THE DIAL CORPORATION  
9300 & 9400 RAYO AVENUE  
MAIN LOT - SOUTH PARKING LOT  
SOUTH GATE, CALIFORNIA

GROUNDWATER CONTOUR MAP, MARCH 5, 1996

FIGURE

**2**


PROJECT NO.

0H93-001.05

CADD FILE: 0306-GEC  
DATE LAST REVISED: 03/08/96


**Chart 1**  
**TVH Concentration and Mass Removed**  
**vs. Operating Hours**  
In-Situ Vapor Extraction Program  
Former Dial Facility  
South Gate, California

4/22/96  
0H93-001.006



**Chart 2**  
**Benzene Concentration and Mass Removed**  
**vs. Operating Hours**  
In-Situ Vapor Extraction Program  
Former Dial Facility  
South Gate, California

4/22/96  
0H93-001.006



**ATTACHMENT 1**

**GROUNDWATER GAUGING**  
**FIELD DATA SHEETS**




EMCON

## WELL GAUGING FORM

PROJECT NO. 20193-CO1-006 TASK NO. 6 TECHNICIAN JESUS CASAS DATE 3-5-96  
 SITE NAME DIAL CORP. LOCATION SOUTHGATE CA

WELL ID	TOTAL DEPTH (FEET)	DEPTH TO PRODUCT (FEET)	DEPTH TO WATER (FEET)	DEPTH TO WATER (FEET)	FREE PRODUCT THICKNESS (FEET)	WELL SEAL OK? (Y/N)	WELL BOX AND WELL SECURE? (Y/N)	COMMENTS
MW-1	64	—	44.40	44.40	—	Y	X	EMCO WIRETAP BOX IS GOOD
MW-2	68.5	—	43.85	43.85	—	X	X	UNIVERSAL BOX IS GOOD
MW-3	75	—	45.44	45.44	—	X	X	EMCO WIRETAP BOX IS GOOD
MW-4	75	—	44.21	44.21	—	X	X	DIV. WELL BOX IS GOOD
MW-5	69.5	—	47.78	47.78	—	Y	X	DIV. BOX IS GOOD
MW-6	70	—	44.80	44.80	—	Y	X	EMCO BOX IS GOOD
MW-7	68	—	44.73	44.73	—	Y	X	EMCO BOX IS GOOD
MW-8	74.70	—	45.95	45.95	—	X	X	EMCO BOX IS GOOD
MW-9	74.30	—	DRY	DRY	—	X	X	EMCO BOX IS GOOD
MW-10	74.30	—	46.35	46.35	—	Y	X	EMCO BOX IS GOOD



THE DIAL CORPORATION  
 8300 & 8400 RAYO AVENUE  
 MAIN LOT - SOUTH PARKING LOT  
 SOUTH GATE, CALIFORNIA  
 GROUNDWATER CONTOUR MAP, DECEMBER, 1994

FIGURE  
**2**  
 FIGURE NO.  
 8-93-001.05

**ATTACHMENT 2**

**WASTE MANIFESTS FROM REMEDIAL EXCAVATION  
DIAL SOUTH PARKING LOT**



# TPS Technologies Soil Recycling

Non-Hazardous Soils

Manifest

Manifest

Date of Shipment: <b>3/21/96</b>	Responsible for Payment: <b>HELSHIRE</b>	Transporter Truck #: <b>116216</b>	Facility #:	Given by TPS: <b>6755</b>	Load #: <b>1014</b>
-------------------------------------	---	---------------------------------------	-------------	------------------------------	------------------------

Generator's Name and Billing Address: <b>THE DIAL CORP The Dial Tower 1850 N. Central Ave. Phoenix, AZ 85004</b>	Generator's Phone #: <b>602-207-7100</b>	Generator's US EPA ID No.:
	Person to Contact:	
	FAX#:	Customer Account Number with TPS:

Consultant's Name and Billing Address: <b>EMCON ASSOCIATES 3300 N. San Fernando Blvd. San Diego, CA 92108-1601</b>	Consultant's Phone #: <b>619-841-1160</b>	
	Person to Contact: <b>Nike Plack</b>	
	FAX#:	Customer Account Number with TPS:

Generation Site (Transport from): (Name & address) <b>Site: 9400 Bayo Ave. South Gate, CA</b>	Site Phone #:	BTEX Levels:
	Person to Contact:	TPH Levels:
	FAX#:	AVC Levels:


Designated Facility (Transport to): (Name & address) <b>TPS Technologies, Inc. 12328 Hibiscus Ave. Adelanto, CA 92301</b>	Facility Phone #: <b>800-862-8001</b>	Facility Permit Numbers:
	Person to Contact: <b>Darren Bartlett</b>	
	FAX#:	

Transporter Name and Mailing Address: <b>BESI 25422 Trabuco Rd. #105-269 Lake Forest, CA 92630 B.E.S.I. #9034</b>	Transporter's Phone #: <b>714-460-1010</b>	Transporter's US EPA ID No.:
	Person to Contact: <b>Larry Wothart</b>	Transporter's DOT No.:
	FAX#:	Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty.	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0-10% <input type="checkbox"/> 10-20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>	17 yds	Soil	61320	31520	29800
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0-10% <input type="checkbox"/> 10-20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>					14.9

List any exception to items listed above: **8-17-91**


Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type Name: <b>EMCON as agent for THE DIAL CORP</b>	Signature and date: 	Month/Day/Year: <b>3/21/96</b>
--	---	-----------------------------------

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name: <b>Kevin McGeary</b>	Signature and date: 	Month/Day/Year: <b>3/22/96</b>
---	---	-----------------------------------

Recycling Facility

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:		
Print or Type Name: <b>SANDY CLEMENTS</b>	Signature and date: 	Month/Day/Year: <b>3-22-96</b>

Generator and/or Consultant

Transporter

Recycling Facility

**TPS TECHNOLOGIES INC.**

12328 Hibiscus Ave. Adelanto, CA 92301

**ADE 008192****WEIGHMASTER CERTIFICATE**

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

Manifest # A07 06755 013

03/22/96

Generator Site Information  
THE DIAL CORP.  
9400 HAYO AVE.

Facility Information  
TPS TECHNOLOGIES  
12328 HIBISCUS AVE.

SOUTH GATE, CA 90280 USA

Adelanto, CA 92301 USA

SCALEMENT IN ---&gt; 04:55:32pm

	LBS	TONS
Gross Wt:	76,380	38.19

Scale # 1

SCALEMENT OUT --&gt; 04:55:59pm

Tare Wt:	37,860	18.93
----------	--------	-------

Scale # 1

Truck Number 19

NET WT: 38,520 19.26

Trailer Number 19T

Gross &amp; Tare Weights Includ Driver on Scale

BARTON

TPS Technologies Soil Recycling

Non-Hazardous Soils

Manifest

Manifest

Date of Shipment: <b>3/22/96</b>	Responsible for Payment: <b>BELSHIRE</b>	Transporter Truck #: <b>19</b>	Facility #: <b>-</b>	Given by TPS: <b>6755</b>	Load #: <b>013</b>
-------------------------------------	---	-----------------------------------	-------------------------	------------------------------	-----------------------

Generator's Name and Billing Address: <b>THE DIAL CORP The Dial Tower 1850 N. Central Ave. Phoenix, AZ 85004</b>	Generator's Phone #: <b>602-207-7100</b>	Generator's US EPA ID No.:
	Person to Contact:	
	FAX#:	Customer Account Number with TPS:

Consultant's Name and Billing Address: <b>EMCON ASSOCIATES 3300 N. San Fernando Blvd. San Diego, CA 92108-1601</b>	Consultant's Phone #: <b>619-441-1160</b>	
	Person to Contact: <b>Mike Track</b>	
	FAX#:	Customer Account Number with TPS:

Generation Site (Transport from): (name & address) <b>Site: 9400 Rayo Ave. South Gate, CA</b>	Site Phone #:	BTEX Levels
	Person to Contact:	TPH Levels
	FAX#:	AVG. Levels


Designated Facility (Transport to): (name & address) <b>TPS Technologies, Inc. 12328 Hibiscus Ave. Adelanto, CA 92301</b>	Facility Phone #: <b>800-862-8001</b>	Facility Permit Numbers
	Person to Contact: <b>Darren Bartlett</b>	
	FAX#:	

Transporter Name and Mailing Address: <b>BESI 25422 Trabuco Rd. #105-269 Lake Forest, CA 92630 B.E.S.I. #9034</b>	Transporter's Phone #: <b>714-450-1010</b>	Transporter's US EPA ID No.:
	Person to Contact: <b>Larry Boothart</b>	Transporter's DOT No.:
	FAX#:	Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty.	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0 - 10% <input type="checkbox"/> 10 - 20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>	<b>17 yds</b>	<b>Soil</b>	<b>16350</b>	<b>37860</b>	<b>38520</b>
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0 - 10% <input type="checkbox"/> 10 - 20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>					<b>19.26</b>

List any exception to items listed above:

Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.


Print or Type Name: <b>EMCON as agent for THE DIAL CORP</b>	Signature and date:  <b>3/22/96</b>
--	--

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name: <b>JOE HUBBARD</b>	Signature and date:  <b>3/22/96</b>
---	--

Discrepancies:

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name: <b>Jandy</b>	Signature and date:  <b>3-22-96</b>
-------------------------------------	--

Please print or type

**TPS TECHNOLOGIES INC.**

12328 Hibiscus Ave. Adelanto, CA 92301

**ADE 008196****WEIGHMASTER CERTIFICATE**

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

Manifest # A07 06755 012

03/22/96

## Generator Site Information

THE DIAL CORP.

9400 RAYO AVE.

## Facility Information

TPS TECHNOLOGIES

12328 HIBISCUS AVE.

SOUTH GATE, CA 90280

USA

Adelanto, CA 92301

USA

SCALEMENT IN ---&gt; 05:13:00pm

SCALEMENT OUT --&gt; 05:13:04pm

Truck Number 114

Trailer Number 214

	LBS	TONS	
Gross Wt:	79,320	39.66	Scale # 1
Tare Wt:	32,880	16.44	Scale # 1
NET WT:	46,440	23.22	

Gross &amp; Tare Weights Includ Driver on Scale

W.A. WOODS

Manifest

## TPS Technologies Soil Recycling

Non-Hazardous Soils

Manifest # 4

Date of Shipment: 3/24/96 Responsible for Payment: BELSHIRE Transporter Truck #: 114-214 Facility #: 1 Given by TPS: 6755 Load #: 012

Generator's Name and Billing Address:

THE DIAL CORP  
The Dial Tower  
1850 N. Central Ave.  
Phoenix, AZ 85004

Generator's Phone #:

802-207-7100

Person to Contact:

FAX#:

Generator's US EPA ID No.

Customer Account Number with TPS:

Consultant's Name and Billing Address:

EMCON ASSOCIATES  
3300 N. San Fernando Blvd.  
San Diego, CA 92108-1601

Consultant's Phone #:

818-841-1160

Person to Contact:

Mike Plack

FAX#:

Customer Account Number with TPS:

Generation Site (Transport from): (name &amp; address)

Site: 9400 Rayo Ave.  
South Gate, CA

Site Phone #:

STEX  
Levels

Person to Contact:

TPH  
Levels

FAX#:

AVG  
Levels

Designated Facility (Transport to): (name &amp; address)

TPS Technologies, Inc.  
12328 Hibiscus Ave.  
Adelanto, CA 92301

Facility Phone #:

800-862-8001

Person to Contact:

Darren Bartlett

FAX#:

Facility Permit Numbers

Transporter Name and Mailing Address:

WAWoodward  
10130 W. Kenton  
25422 Trabuco Rd. #105-269  
Lake Forest, CA 92630  
SO GME  
B-E-B-I 49034 CA

Transporter's Phone #:

310-927-1367

Person to Contact:

Larry Boothart

FAX#:

RON Benson

Transporter's US EPA ID No.:

Transporter's DOT No.:

Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty:	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/>	0-10% <input type="checkbox"/>	Gas <input type="checkbox"/>	<u>17 yd</u>	<u>Soil</u>	<u>19320</u>	<u>32850</u>	<u>4644</u>
Clay <input type="checkbox"/> Other <input type="checkbox"/>	10-20% <input type="checkbox"/>	Diesel <input type="checkbox"/>					
	20% - over <input type="checkbox"/>	Other <input type="checkbox"/>					
Sand <input type="checkbox"/> Organic <input type="checkbox"/>	0-10% <input type="checkbox"/>	Gas <input type="checkbox"/>					<u>232</u>
Clay <input type="checkbox"/> Other <input type="checkbox"/>	10-20% <input type="checkbox"/>	Diesel <input type="checkbox"/>					
	20% - over <input type="checkbox"/>	Other <input type="checkbox"/>					

List any exception to items listed above:

8196

Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type Name:

EMCON as agent for THE DIAL CORP

Signature and date:

Month:

32296

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name:

Samuel A. Fook

Signature and date:

Month:

32296

Discrepancies:

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name:

SANDY CLEMENTS

Signature and date:

Sandy Clements3-22-96

Generator and/or Consultant

Transporter

Recycling Facility

# TPS TECHNOLOGIES INC.

12328 Hibiscus Ave. Adelanto, CA 92301

ADE 008189

## WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

Manifest # A07 06755 011

03/22/96

### Generator Site Information

THE DIAL CORP.

9400 RAYO AVE.

### Facility Information

TPS TECHNOLOGIES

12328 HIBISCUS AVE.

SOUTH GATE, CA 90280

USA

Adelanto, CA 92301

USA

			LBS	TONS	
SCLEMENT IN --->	04:16:36pm	Gross Wt:	81,440	40.72	Scale # 1
SCLEMENT OUT -->	04:16:41pm	Tare Wt:	27,860	13.93	Scale # 1
Truck Number	K87	NET WT:	53,580	26.79	
Trailer Number	87				

Gross & Tare Weights Included Driver on Scale

(Knewper)



# TPS Technologies Soil Recycling

Non-Hazardous Soils

Manifest

(Manifest # 2)

Date of Shipment: <b>3/21/96</b>	Responsible for Payment: <b>BELSHIRE</b>	Transporter Truck #: <b>K-87</b>	Facility #:	Given by TPS: <b>60755</b>	Load #: <b>0111</b>
-------------------------------------	---	-------------------------------------	-------------	-------------------------------	------------------------

Generator's Name and Billing Address: <b>THE DIAL CORP The Dial Tower 1850 N. Central Ave. Phoenix, AZ 85004</b>	Generator's Phone #: <b>602-207-7100</b>	Generator's US EPA ID No.
	Person to Contact:	
	FAX#:	Customer Account Number with TPS:

Consultant's Name and Billing Address: <b>EMCON ASSOCIATES 3300 N. San Fernando Blvd. San Diego, CA 92108-1601</b>	Consultant's Phone #: <b>618-841-1160</b>	
	Person to Contact: <b>MIKE TACK</b>	
	FAX#:	Customer Account Number with TPS:

Generation Site (Transport from): (name & address) <b>Site: 9400 Bayo Ave. South Gate, CA</b>	Site Phone #:	BTEX Levels
	Person to Contact:	TPH Levels
	FAX#:	AVG. Levels

Designated Facility (Transport to): (name & address) <b>TPS Technologies, Inc. 12328 Hibiscus Ave. Adelanto, CA 92301</b>	Facility Phone #: <b>800-852-8001</b>	Facility Permit Numbers
	Person to Contact: <b>Darren Bartlett</b>	
	FAX#:	

Transporter Name and Mailing Address: <b>BESI 25422 Trabuco Rd.#105-269 Lake Forest, CA 92630 B.E.S.I.#9034</b>	Transporter's Phone #: <b>714-450-1010</b>	Transporter's US EPA ID No.
	Person to Contact: <b>Larry Woothart</b>	Transporter's DOT No.
	FAX#:	Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty:	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0-10% <input type="checkbox"/> 10-20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>	17 yds	Soil	81440	27860	5358
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0-10% <input type="checkbox"/> 10-20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>					26.75

List any exception to items listed above:

Generator's and/or consultant's certification: I/We certify that the soil referenced heretofore taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type Name: <b>EMCON as agent for THE DIAL CORP</b>	Signature and date: <i>[Signature]</i>	Month Day Year: <b>3 22 96</b>
--	---	-----------------------------------

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name: <b>John Kosareff</b>	Signature and date: <i>[Signature]</i>	Month Day Year: <b>3 22 96</b>
---	---	-----------------------------------

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name: <b>SANDY CLEMENTS</b>	Signature and date: <i>[Signature]</i>	Month Day Year: <b>3-22-96</b>
--	---	-----------------------------------

Generator and/or Consultant

Transporter

Recycling Facility

# TPS TECHNOLOGIES INC.

12328 Hibiscus Ave. Adelanto, CA 92301

ADE 008188

## WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

Manifest # A07 06755 010

03/22/96

### Generator Site Information

THE DIAL CORP.

9400 RAYO AVE.

### Facility Information

TPS TECHNOLOGIES

12328 HIBISCUS AVE.

SOUTH GATE, CA 90280

USA

Adelanto, CA 92301

USA

		LBS	TONS	
SCLEMENT IN -->	03:23:52pm	Gross Wt: 84,560	42.28	Scale # 1
SCLEMENT OUT -->	03:24:09pm	Tare Wt: 31,600	15.80	Scale # 1
Truck Number	5	NET WT:	52,960	26.48
Trailer Number	ST			

Gross & Tare Weights Includ Driver on Scale

J. TORRES



Manifest

## TPS Technologies Soil Recycling

Non-Hazardous Soils

Manifest #

Date of Shipment: **3/22/96** Responsible for Payment: **BELSHIRE** Transporter Truck #: **5** Facility #: **6755** Given by TPS: **6755** Load #: **1016**

## Generator's Name and Billing Address:

**THE DIAL CORP**  
**The Dial Tower**  
**1850 N. Central Ave.**  
**Phoenix, AZ 85004**

## Generator's Phone #:

**602-207-7100**

## Generator's USEPA ID No.

## Person to Contact:

## FAX#:

## Customer Account Number with TPS:

## Consultant's Name and Billing Address:

**EMCON ASSOCIATES**  
**3300 N. San Fernando Blvd.**  
**San Diego, CA 92108-1601**

## Consultant's Phone #:

**818-841-1160**

## Person to Contact:

## FAX#:

## Customer Account Number with TPS:

## Generation Site (Transport from): (name &amp; address)

**Site: 9400 Rayo Ave.**  
**South Gate, CA**

## Site Phone #:

**BTEX Levels**

## Person to Contact:

**TPH Levels**

## FAX#:

**AVG. Levels**

## Designated Facility (Transport to): (name &amp; address)

**TPS Technologies, Inc.**  
**12328 Hibiscus Ave.**  
**Adelanto, CA 92301**

## Facility Phone #:

**800-862-8001**

## Facility Permit Numbers

## Person to Contact:

## FAX#:

## Transporter Name and Mailing Address:

**BESI**  
**25422 Trabuco Rd. #105-269**  
**Lake Forest, CA 92630**  
**B.E.S.I. #9034**

## Transporter's Phone #:

**714-450-1010**

## Transporter's US EPA ID No.:

## Person to Contact:

## Transporter's DOT No.:

## FAX#:

## Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty:	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/>	0 - 10% <input type="checkbox"/>	Gas <input type="checkbox"/>	<b>17 yds</b>	<b>Soil</b>	<b>545603</b>	<b>1000</b>	<b>1296</b>
Clay <input type="checkbox"/> Other <input type="checkbox"/>	10 - 20% <input type="checkbox"/>	Diesel <input type="checkbox"/>					
	20% - over <input type="checkbox"/>	Other <input type="checkbox"/>					
Sand <input type="checkbox"/> Organic <input type="checkbox"/>	0 - 10% <input type="checkbox"/>	Gas <input type="checkbox"/>					
Clay <input type="checkbox"/> Other <input type="checkbox"/>	10 - 20% <input type="checkbox"/>	Diesel <input type="checkbox"/>					
	20% - over <input type="checkbox"/>	Other <input type="checkbox"/>					

List any exception to items listed above:

Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type **EMCON as agent for THE DIAL CORP**

Signature and date

Month Day Year

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name:

Signature and date

Month Day Year

Discrepancies:

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name:

Signature and date

Month Day Year

Generator and/or Consultant

Transporter

Recycling Facility

# TPS TECHNOLOGIES INC.

12328 Hibiscus Ave. Adelanto, CA 92301

ADE 008187

## WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

Manifest # A07 06755 009

03/22/96.

### Generator Site Information

THE DIAL CORP.

9400 RAYO AVE.

### Facility Information

TPS TECHNOLOGIES

12328 HIBISCUS AVE.

SOUTH GATE, CA 90280

USA

Adelanto, CA 92301

USA

SCLEMENT IN ---> 03:19:36pm

Gross Wt: 82,140 LBS 41.07 TONS Scale # 1

SCLEMENT OUT --> 03:19:41pm

Tare Wt: 31,260 LBS 15.63 TONS Scale # 1

Truck Number 4

NET WT: 50,880 LBS 25.44 TONS

Trailer Number 4T

Gross & Tare Weights Includ Driver on Scale

J. TORRES

## Manifest

## TPS Technologies Soil Recycling

Non-Hazardous Soils

## Manifest

Date of Shipment: **3/22/96** Responsible for Payment: **BELSHIRE** Transporter Truck #: **4** Facility #: **6755** Given by TPS: **6755** Load #: **1009**

## Generator's Name and Billing Address:

**THE DIAL CORP**  
**The Dial Tower**  
**1850 N. Central Ave.**  
**Phoenix, AZ 85004**

## Generator's Phone #:

**602-207-7100**

## Generator's US EPA ID No.

## Person to Contact:

## FAX#:

## Customer Account Number with TPS:

## Consultant's Name and Billing Address:

**EMCON ASSOCIATES**  
**3300 N. San Fernando Blvd.**  
**San Diego, CA 92108-1601**

## Consultant's Phone #:

**618-841-1160**

## Person to Contact:

**Mike Plack**

## FAX#:

## Customer Account Number with TPS:

## Generation Site (Transport from): (name &amp; address)

**Site: 9400 Rayo Ave.**  
**South Gate, CA**

## Site Phone #:

## BTEX

Levels

## Person to Contact:

## TPH

Levels

## FAX#:

## AVG.

Levels

## Designated Facility (Transport to): (name &amp; address)

**TPS Technologies, Inc.**  
**12328 Hibiscus Ave.**  
**Adelanto, CA 92301**

## Facility Phone #:

**800-862-8001**

## Person to Contact:

**Darfer Bartlett**

## FAX#:

## Facility Permit Numbers

## Transporter Name and Mailing Address:

**BESI**  
**25422 Trabuco Rd. #105-269**  
**Lake Forest, CA 92630**  
**B.E.S.I. #9034**

## Transporter's Phone #:

**714-450-1010**

## Person to Contact:

**Larry Boothart**

## FAX#:

## Transporter's US EPA ID No.:

## Transporter's DOT No.:

## Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty:	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input checked="" type="checkbox"/> Other <input type="checkbox"/>	0-10% <input type="checkbox"/> 10-20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>	17 yds	Soil	82140312695055		
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0-10% <input type="checkbox"/> 10-20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>					

List any exception to items listed above:

Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type Name: **EMCON as agent for THE DIAL CORP**

Signature and date:

Month: **3** Day: **22** Year: **96**

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name:

**Don Rowe**

Signature and date:

**Don Rowe**Month: **3** Day: **22** Year: **96**

Discrepancies:

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name:

**SANDY CLEMENTS**

Signature and date:

**Sandy Clements 3-22-96**

Generator and/or Consultant

Transporter

Recycling Facility

**TPS TECHNOLOGIES INC.**

12328 Hibiscus Ave. Adelanto, CA 92301

**ADE 008183****WEIGHMASTER CERTIFICATE**

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture:

Manifest # A07 06755 008

03/22/96

## Generator Site Information

THE DIAL CORP.

9400 RAYO AVE.

SOUTH GATE, CA 90280

USA

## Facility Information

TPS TECHNOLOGIES

12328 HIBISCUS AVE.

Adelanto, CA 92301

USA

SCLEMENT IN ---&gt; 02:23:08pm

SCLEMENT OUT --&gt; 02:23:22pm

Truck Number 90

Trailer Number 90T

	LBS	TONS	
Gross Wt:	80,740	40.37	Scale # 1
Tare Wt:	33,180	16.59	Scale # 1
NET WT:	47,560	23.78	

Manifest

## TPS Technologies Soil Recycling

Non-Hazardous Soils

Manifest

Date of Shipment: 7 / 96 Responsible Party: BELSHIRE Transporter Truck #: 90 Facility #: Given by TPS: 6755 Load #: 0018

## Generator's Name and Billing Address:

THE DIAL CORP  
The Dial Tower  
1850 N. Central Ave.  
Phoenix, AZ 85004

## Generator's Phone #:

602-207-7100

## Generator's US EPA ID No.

## Person to Contact:

## FAX #:

## Customer Account Number with TPS:

## Consultant's Name and Billing Address:

EMCON ASSOCIATES  
3300 N. San Fernando Blvd.  
San Diego, CA 92108-1601

## Consultant's Phone #:

818-841-1160

## Person to Contact:

## FAX #:

## Customer Account Number with TPS:

## Generation Site (Transport from): (name &amp; address)

Site: 9400 Rayo Ave.  
South Gate, CA

## Site Phone #:

## BTEX

Levels

## Person to Contact:

TPH

Levels

## FAX #:

AVG

Levels

## Designated Facility (Transport to): (name &amp; address)

TPS Technologies, Inc.  
12328 Hibiscus Ave.  
Adelanto, CA 92301

## Facility Phone #:

800-862-8001

## Person to Contact:

## FAX #:

## Facility Permit Numbers:

## Transporter Name and Mailing Address:

BESI  
25422 Trabuco Rd. #105-269  
Lake Forest, CA 92630  
B.E.S.I. #9034

## Transporter's Phone #:

714-450-1010

## Person to Contact:

## FAX #:

## Transporter's US EPA ID No.:

## Transporter's DOT No.:

## Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty:	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0-10% <input type="checkbox"/> 10-20% <input type="checkbox"/> 20%+ over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>			50740	33180	17560
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0-10% <input type="checkbox"/> 10-20% <input type="checkbox"/> 20%+ over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>					231

List any exception to items listed above:

Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type EMCON as agent for THE DIAL CORP

Signature and date:

Month

Day

Year

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name:

Signature and date:

Month

Day

Year

Discrepancies:

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name:

Signature and date:

SANDY CLEMENTS

Sandy Clements 3-27-96

# TPS TECHNOLOGIES INC.

12328 Hibiscus Ave. Adelanto, CA 92301

ADE 008177

## WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

Manifest # A07 06755 007

03/22/96

### Generator Site Information

THE DIAL CORP.

9400 RAYO AVE.

### Facility Information

TPS TECHNOLOGIES

12328 HIBISCUS AVE.

SOUTH GATE, CA 90280

USA

Adelanto, CA 92301

USA

SCLEMENT IN ---> 01:02:57pm

SCLEMENT OUT --> 01:03:02pm

Truck Number 65

Trailer Number 65T

	LBS	TONS	
Gross Wt:	75,360	37.68	Scale # 1
Tare Wt:	28,980	14.49	Scale # 1
NET WT:	46,380	23.19	



Manifest

## TPS Technologies Soil Recycling

Non-Hazardous Soils

Manifest

Date of Shipment: 3/22/96 Responsible for Payment: Transporter Truck #: 65 Facility #: Given by TPS: 6755 Load #: 01017

Generator's Name and Billing Address:

THE DIAL CORP  
The Dial Tower  
1850 N. Central Ave.  
Phoenix, AZ 85004

Generator's Phone #:

602-207-7100

Generator's US EPA ID No.

Person to Contact:

FAX#:

Customer Account Number with TPS:

Consultant's Name and Billing Address:

EMCON ASSOCIATES  
3300 N. San Fernando Blvd.  
San Diego, CA 92108-1601

Consultant's Phone #:

818-841-1160

Person to Contact:

FAX#:

Customer Account Number with TPS:

Generation Site (Transport from): (name &amp; address)

Site: 9400 Rayo Ave.  
South Gate, CA

Site Phone #:

BTEX  
Levels

Person to Contact:

TPH  
Levels

FAX#:

AVG  
Levels

Designated Facility (Transport to): (name &amp; address)

TPS Technologies, Inc.  
12328 Hibiscus Ave.  
Adelanto, CA 92301

Facility Phone #:

800-862-8001

Facility Permit Numbers

Person to Contact:

FAX#:

Transporter Name and Mailing Address:

BESI  
25422 Trabuco Rd. #105-269  
Lake Forest, CA 92630  
B.E.S.I. #9034

Transporter's Phone #:

714-450-1010

Transporter's US EPA ID No.

Person to Contact:

FAX#:

Transporter's DOT No.

Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty:	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0-10% <input type="checkbox"/> 10-20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>	17 yds	Soil	15360	25980	46580
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0-10% <input type="checkbox"/> 10-20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>	817				53.1

List any exception to items listed above:

Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type Name: EMCON as agent for THE DIAL CORP

Signature and date:

Month:

Day:

Year:

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name:

Signature and date:

Month:

Day:

Year:

Discrepancies:

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name:

Signature and date:

SANDY CLEMENTS

Sandy Clements 3-22-96

Generator and/or Consultant

Transporter

Recycling Facility

# TPS TECHNOLOGIES INC.

ADE 008174

12328 Hibiscus Ave. Adelanto, CA 92301

## WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

Manifest # A07 06751 006.

03/22/96.

### Generator Site Information

THE DIAL CORP.

9400 RAYO AVE.

SOUTH GATE, CA 90280

USA

### Facility Information

TPS TECHNOLOGIES

12328 HIBISCUS AVE.

Adelanto, CA 92301

USA

			LBS	TONS	
SCLEMENT IN --->	12:41:30pm	Gross Wt:	77,400	38.70	Scale # 1
SCLEMENT OUT -->	12:41:34pm	Tare Wt:	32,140	16.07	Scale # 1
Truck Number	91	NET WT:	45,260	22.63	
Trailer Number	917Y				

Gross & Tare Weights Includ Driver on Scale

GAUNT



## Manifest

## TPS Technologies Soil Recycling

## Manifest

Date of Shipment: 3/24/96 Responsible for Facility: BELSHIRE Facility #: 6755 Load #: 100K

## Generator's Name and Billing Address:

THE DIAL CORP  
The Dial Tower  
1850 N. Central Ave.  
Phoenix, AZ 85004

Phone #: 602-207-7100  
Person to Contact:

FAX#:

## Generator's US EPA ID No.

## Consultant's Name and Billing Address:

EMCON ASSOCIATES  
3300 N. San Fernando Blvd.  
San Diego, CA 92108-1601

Consultant's Phone #:

818-841-1160  
Person to Contact:  
Mike Plack

FAX#:

## Customer Account Number with TPS:

## Customer Account Number with TPS:

## Generation Site (Transport from): (name &amp; address)

Site: 9400 Rayo Ave.  
South Gate, CA

Site Phone #:

BTEX  
Levels

Person to Contact:

TPH  
Levels

FAX#:

AVG.  
Levels

## Designated Facility (Transport to): (name &amp; address)

TPS Technologies, Inc.  
12328 Hibiscus Ave.  
Adelanto, CA 92301

Facility Phone #:

800-862-8001  
Person to Contact:  
Darren Bartlett

FAX#:

## Facility Permit Numbers

## Transporter Name and Mailing Address:

BESI  
25422 Trabuco Rd. #105-269  
Lake Forest, CA 92630

B.E.S.I. #9034

Transporter's Phone #:

714-450-1010  
Person to Contact:  
Larry Moothart

FAX#:

## Transporter's US EPA ID No.

## Transporter's DOT No.:

## Customer Account Number with TPS:

Description of Soil	Molsture Content	Contaminated by:	Approx. Qty:	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0 - 10% <input type="checkbox"/> 10 - 20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>	17 yds	Soil	77460	3240	74220
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0 - 10% <input type="checkbox"/> 10 - 20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>					22.6

List any exception to items listed above:

Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type Name: EMCON an agent for THE DIAL CORP Signature and date: Carlos Novales Month: 3 Day: 22 Year: 96

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name: Carlos Novales Signature and date: Carlos Novales Month: 3 Day: 22 Year: 96

Discrepancies:

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name: BESI Signature and date: BESI Month: 3 Day: 22 Year: 96

# Manifest

## TPS Technologies Soil Recycling

Non-Hazardous Soils

↓ Manifest # ↓

Date of Shipment: 2/21/96 Responsible for Payment: BELSHIRE Transporter Truck #: 19 Facility #: Given by TPS: 6755 Load #: 0005

Generator's Name and Billing Address: THE DIAL CORP  
The Dial Tower  
1850 N. Central Ave.  
Phoenix, AZ 85004  
Generator's Phone #: 602-207-7100  
Person to Contact:  
FAX#:  
Generator's US EPA ID No:  
Customer Account Number with TPS:

Consultant's Name and Billing Address: EMCON ASSOCIATES  
3300 N. San Fernando Blvd.  
San Diego, CA 92108-1601  
Consultant's Phone #: 818-841-1160  
Person to Contact: Mike Flack  
FAX#:  
Customer Account Number with TPS:

Generation Site (Transport from): (name & address)  
Site: 9400 Rayo Ave.  
South Gate, CA  
Site Phone #:  
Person to Contact:  
FAX#:  
BTEX Levels:  
TPH Levels:  
AVC Levels:

Designated Facility (Transport to): (name & address)  
TPS Technologies, Inc.  
12328 Hibiscus Ave.  
Adelanto, CA 92301  
Facility Phone #: 800-862-8001  
Person to Contact: Darren Bartlett  
FAX#:  
Facility Permit Numbers:

Transporter Name and Mailing Address: BESI  
25422 Trabuco Rd. #105-269  
Lake Forest, CA 92630  
B.E.S.I. #9034  
Transporter's Phone #: 714-450-1010  
Person to Contact: Larry Moothart  
FAX#:  
Transporter's US EPA ID No.:  
Transporter's DOT No.:  
Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty:	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/>	0 - 10% <input type="checkbox"/>	Gas <input type="checkbox"/>					
Clay <input type="checkbox"/> Other <input type="checkbox"/>	10 - 20% <input type="checkbox"/>	Diesel <input type="checkbox"/>	17 cu	Soil	7022	331	6711
	20% - over <input type="checkbox"/>	Other <input type="checkbox"/>					
Sand <input type="checkbox"/> Organic <input type="checkbox"/>	0 - 10% <input type="checkbox"/>	Gas <input type="checkbox"/>					
Clay <input type="checkbox"/> Other <input type="checkbox"/>	10 - 20% <input type="checkbox"/>	Diesel <input type="checkbox"/>					
	20% - over <input type="checkbox"/>	Other <input type="checkbox"/>					

List any exception to items listed above: 81731

Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type Name: EMCON as agent for THE DIAL CORP Signature and date: [Signature] Month: 3 Day: 22 Year: 96

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name: [Signature] Signature and date: [Signature] Month: Day: Year:

Discrepancies:

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name: Signature and date:

Generator and/or Consultant

Transporter

Recycling Facility

# Manifest

## TPS Technologies Soil Recycling

Non-Hazardous Soils

↓ Manifest # ↓

Date of Shipment: <b>3/22/96</b>	Responsible for Payment: <b>BELSHIRE</b>	Transporter Truck #: <b>5</b>	Facility #: <b>1</b>	Given by TPS: <b>6755</b>	Load #: <b>1004</b>
-------------------------------------	---	----------------------------------	-------------------------	------------------------------	------------------------

Generator's Name and Billing Address: <b>THE DIAL CORP The Dial Tower 1850 N. Central Ave. Phoenix, AZ 85004</b>	Generator's Phone #: <b>602-207-7100</b>	Generator's US EPA ID No.:
	Person to Contact:	
	FAX #:	Customer Account Number with TPS:

Consultant's Name and Billing Address: <b>EMCON ASSOCIATES 3300 N. San Fernando Blvd. San Diego, CA 92108-1601</b>	Consultant's Phone #: <b>818-841-1160</b>	
	Person to Contact: <b>Mike Plack</b>	
	FAX #:	Customer Account Number with TPS:

Generation Site (Transport from): (name & address) <b>Site: 9400 Rayo Ave. South Gate, CA</b>	Site Phone #:	BTEX Levels
	Person to Contact:	TPH Levels
	FAX #:	AVC Levels

Designated Facility (Transport to): (name & address) <b>TPS Technologies, Inc. 12328 Hibiscus Ave. Adelanto, CA 92301</b>	Facility Phone #: <b>800-862-8001</b>	Facility Permit Numbers
	Person to Contact: <b>Darrell Bartlett</b>	
	FAX #:	

Transporter Name and Mailing Address: <b>BESI 25422 Trabuco Rd. #105-269 Lake Forest, CA 92630 B.E.S.I. #9034</b>	Transporter's Phone #: <b>714-450-1010</b>	Transporter's US EPA ID No.:
	Person to Contact: <b>Larry Mothart</b>	Transporter's DOT No.:
	FAX #:	Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty:	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0 - 10% <input type="checkbox"/> 10 - 20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>					
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0 - 10% <input type="checkbox"/> 10 - 20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>					

List any exception to items listed above:

Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type Name: <b>EMCON as agent for THE DIAL CORP</b>	Signature and date: <i>Quin A. [Signature]</i>	Month <b>3</b>	Day <b>22</b>	Year <b>96</b>
--	---	-------------------	------------------	-------------------

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name: <b>Mike Sullivan JR</b>	Signature and date: <i>Mike Sullivan</i>	Month <b>3</b>	Day <b>22</b>	Year <b>96</b>
--	---	-------------------	------------------	-------------------

Discrepancies:
----------------

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name: <b>SANDY CLEMENTS</b>	Signature and date: <i>Sandy Clements</i>	Month <b>3</b>	Day <b>27</b>	Year <b>96</b>
--	--	-------------------	------------------	-------------------

Generator and/or Consultant

Transporter

Recycling Facility

# Manifest

## TPS Technologies Soil Recycling

Non-Hazardous Soils

↓ Manifest # ↓

Date of Shipment: 02 96 Responsible for Payment: BELSHIRE Transporter Truck #: 4 Facility #: 6755 Given by TPS: 01013 Load #

Generator's Name and Billing Address:  
THE DIAL CORP  
The Dial Tower  
1850 N. Central Ave.  
Phoenix, AZ 85004

Generator's Phone #: 602-207-7100  
Person to Contact:  
FAX #  
Generator's US EPA ID No.  
Customer Account Number with TPS

Consultant's Name and Billing Address:  
EMCON ASSOCIATES  
3300 N. San Fernando Blvd.  
San Diego, CA 92108-1601

Consultant's Phone #: 818-841-1160  
Person to Contact: Mike Flack  
FAX #  
Customer Account Number with TPS

Generation Site (Transport from): (name & address)  
Site: 9400 Rayo Ave.  
South Gate, CA

Site Phone #  
Person to Contact  
FAX #  
BTEX Levels  
TTH Levels  
AVC Levels

Designated Facility (Transport to): (name & address)  
TPS Technologies, Inc.  
12328 Hibiscus Ave.  
Adelanto, CA 92301

Facility Phone #: 800-862-8001  
Person to Contact: Darren Bartlett  
FAX #  
Facility Permit Numbers

Transporter Name and Mailing Address:  
BESI  
25422 Trabuco Rd. #105-269  
Lake Forest, CA 92630  
B.E.S.I. #9034

Transporter's Phone #: 714-450-1010  
Person to Contact: Larry Moothart  
FAX #  
Transporter's US EPA ID No.:  
Transporter's DOT No.:  
Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty:	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0 - 10% <input type="checkbox"/> 10 - 20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>	<u>7.14</u>	<u>Soil</u>	<u>51760</u>	<u>31460</u>	<u>5024</u>
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0 - 10% <input type="checkbox"/> 10 - 20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>					<u>(21)</u>

List any exception to items listed above:

Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type Name: EMCON as agent for THE DIAL CORP Signature and date: [Signature] Month: 2 Day: 22 Year: 96

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name: Don Rowe Signature and date: [Signature] Month: 3 Day: 22 Year: 96

Discrepancies:

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name: SANIT (1000000) Signature and date: [Signature] Month: 3 Day: 27 Year: 96

Generator and/or Consultant

Transporter

Recycling Facility



# Manifest

## TPS Technologies Soil Recycling

Non-Hazardous Soils

↓ Manifest # ↓

Date of Shipment: 1-31-96 Responsible for Payment: BELSHIRE Transporter Truck #: Facility #: Given by TPS: 6755 Load #: 0102

Generator's Name and Billing Address: THE DIAL CORP  
The Dial Tower  
1850 N. Central Ave.  
Phoenix, AZ 85004  
Generator's Phone #: 602-207-7100  
Person to Contact: FAX#: Customer Account Number with TPS:

Consultant's Name and Billing Address: EMCON ASSOCIATES  
3300 N. San Fernando Blvd.  
San Diego, CA 92108-1601  
Consultant's Phone #: 818-841-1160  
Person to Contact: Mike Plack  
FAX#: Customer Account Number with TPS:

Generation Site (Transport from): (name & address) Site: 9400 Rayo Ave.  
South Gate, CA  
Site Phone #: BTEX Levels  
Person to Contact: TPH Levels  
FAX#: AVG. Levels

Designated Facility (Transport to): (name & address) TPS Technologies, Inc.  
12328 Hibiscus Ave.  
Adelanto, CA 92301  
Facility Phone #: 800-862-8001  
Person to Contact: Darren Bartlett  
FAX#: Facility Permit Numbers

Transporter Name and Mailing Address: BESI  
25422 Trabuco Rd. #105-269  
Lake Forest, CA 92630  
B.E.S.I. #9034  
Transporter's Phone #: 714-450-1010  
Person to Contact: Larry Mbohart  
FAX#: Transporter's US EPA ID No.: Transporter's DOT No.: Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty:	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0 - 10% <input type="checkbox"/> 10 - 20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>	1700		177160	31450	47115
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0 - 10% <input type="checkbox"/> 10 - 20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>					13.5

List any exception to items listed above: 1501

Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type Name: EMCON as agent for THE DIAL CORP Signature and date: [Signature] 3-22-96 Month Day Year

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly-transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name: [Signature] Signature and date: [Signature] 3-22-96 Month Day Year

Discrepancies: Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name: Signature and date: [Signature]

Generator and/or Consultant

Transporter

Recycling Facility

# Manifest

## TPS Technologies Soil Recycling

Non-Hazardous Soils

↓ Manifest # ↓

Date of Shipment: <b>3/22/96</b>	Responsible for Payment: <b>BELSHIRE</b>	Transporter Truck #: <b>19</b>	Facility #:	Given by TPS: <b>6755</b>	Load #: <b>0601</b>
-------------------------------------	---	-----------------------------------	-------------	------------------------------	------------------------

Generator's Name and Billing Address: <b>THE DIAL CORP The Dial Tower 1850 N. Central Ave. Phoenix, AZ 85004</b>	Generator's Phone #: <b>602-207-7100</b> Person to Contact:	Generator's US EPA ID No.:
	FAX#:	Customer Account Number with TPS:

Consultant's Name and Billing Address: <b>EMCON ASSOCIATES 3300 N. San Fernando Blvd. San Diego, CA 92108-1601</b>	Consultant's Phone #: <b>818-841-1160</b> Person to Contact: <b>Nike Plack</b>	
	FAX#:	Customer Account Number with TPS:

Generation Site (Transport from): (name & address) <b>Site: 9400 Rayo Ave. South Gate, CA</b>	Site Phone #:	BTEX Levels
	Person to Contact:	TPH Levels
	FAX#:	AVG. Levels

Designated Facility (Transport to): (name & address) <b>TPS Technologies, Inc. 12328 Hibiscus Ave. Adelanto, CA 92301</b>	Facility Phone #: <b>800-862-8001</b> Person to Contact: <b>Darren Bartlett</b>	Facility Permit Numbers
	FAX#:	

Transporter Name and Mailing Address: <b>BESI 25422 Trabuco Rd. #105-269 Lake Forest, CA 92630 B.E.S.I. #9034</b>	Transporter's Phone #: <b>714-450-1010</b> Person to Contact: <b>Larry Moothart</b>	Transporter's US EPA ID No.:
	FAX#:	Transporter's DOT No.:
		Customer Account Number with TPS:

Description of Soil	Moisture Content	Contaminated by:	Approx. Qty:	Description of Delivery	Gross Weight	Tare Weight	Net Weight
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0 - 10% <input type="checkbox"/> 10 - 20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>	<b>17 yds</b>	<b>Soil</b>	<b>113400</b>	<b>37350</b>	<b>36650</b>
Sand <input type="checkbox"/> Organic <input type="checkbox"/> Clay <input type="checkbox"/> Other <input type="checkbox"/>	0 - 10% <input type="checkbox"/> 10 - 20% <input type="checkbox"/> 20% - over <input type="checkbox"/>	Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Other <input type="checkbox"/>					<b>1180</b>

List any exception to items listed above:

Generator's and/or consultant's certification: I/We certify that the soil referenced herein is taken entirely from those soils described in the Soil Data Sheet completed and certified by me/us for the Generation Site shown above and nothing has been added or done to such soil that would alter it in any way.

Print or Type Name: <b>EMCON as agent for THE DIAL CORP</b>	Signature and date: <i>[Signature]</i>	Month Day Year <b>3 22 96</b>
--	---	----------------------------------

Transporter's certification: I/We acknowledge receipt of the soil described above and certify that such soil is being delivered in exactly the same condition as when received. I/We further certify that this soil is being directly transported from the Generation Site to the Designated Facility without off-loading, adding to, subtracting from or in any way delaying delivery to such site.

Print or Type Name: <b>PETE HUBBARD</b>	Signature and date: <i>[Signature]</i>	Month Day Year <b>3 22 96</b>
--	---	----------------------------------

Discrepancies:

Recycling Facility certifies the receipt of the soil covered by this manifest except as noted above:

Print or Type Name: <b>SANDY CEMENTS</b>	Signature and date: <i>[Signature]</i>	Month Day Year <b>5 27 96</b>
---	---	----------------------------------

Generator and/or Consultant

Transporter

Recycling Facility

(DRIVER: PLEASE SIGN BELOW)

707685



REFERENCE NO.

707685

(PLEASE SIGN HERE)

John K

28152

BRADLEY LANDFILL AND  
RECYCLING CENTER

9227 TOLONDA AVENUE

SUN VALLEY CA 91352

(818) 768-5856

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
25422		XG	11:54	03/22/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL

25422 TRABUCO RD. #105-269

EL TORO CA

COMMENTS:

GEO SRC:

MANIFEST NO.

PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	26.75	
	GROSS: 81290		
	TARE : 27800		
	NET : 53490		

ORIGINAL

W1400390

0 10/96 943730-08 Shoring

NO. 920187

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.  
 CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA

PROFILE  
NO.

104053

PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_

WASTE DESCRIPTION Soil GENERATING PROCESS Excavation  
 COMPONENTS OF WASTE Soil 99-100% COMPONENTS OF WASTE VOC 0.0 PPM

1. TPH <.01% 5. BESI#9034  
 2. \_\_\_\_\_ 6. \_\_\_\_\_  
 3. \_\_\_\_\_ 7. \_\_\_\_\_  
 4. \_\_\_\_\_ 8. \_\_\_\_\_

PROPERTIES: pH \_\_\_\_\_ ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
 WASTE AS DESCRIBED IS 100%  
 NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME Triple D Transport EPA I.D. NO. \_\_\_\_\_  
 ADDRESS 25835 Narbonne Ave # 140  
 CITY, STATE, ZIP San Jose, Ca 95131 SERVICE ORDER NO. \_\_\_\_\_  
 PHONE NO. 408 299-1917 PICK UP DATE \_\_\_\_\_

TRUCK UNIT I.D. NO. K87 TYPED OR PRINTED FULL NAME & SIGNATURE JOHN KOSARKE DATE 3-22-90

NAME Bradley Landfill EPA I.D. NO. \_\_\_\_\_  
 ADDRESS 9227 Tujunga Ave.  
 CITY, STATE, ZIP San Valley, CA 91352  
 PHONE NO. 818-767-6180

DISPOSAL METHOD

☐ LANDFILL ☐ OTHER \_\_\_\_\_TYPED OR PRINTED FULL NAME & SIGNATURE John KosarkeDATE 3-22-90

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/D		RT/CD	HWDF	NONE

DISCREPANCY

707685

TO BE COMPLETED BY GENERATOR

TO BE COMPLETED BY TRANSPORTER

TSD FACILITY



(DRIVER: PLEASE SIGN BELOW)

708393



REFERENCE NO. 708393
-------------------------

(PLEASE SIGN HERE)

29152

BRADLEY LANDFILL AND RECYCLING CENTER 7227 TUJUNGA AVENUE SUN VALLEY, CA 91352 (818) 768-5856	
---	--

CUSTOMER NO.	INITIALS	TIME	DATE	BATCH NO.
		11:11:35	03/22/94	

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269  
EL TORO CA  
COMMENTS: 404050 920186  
GEO SRC:

MANIFEST NO.
PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	26.15	
	GROSS: 81860		
	TARE: 29560		
	NET: 52300		

WM00390

ORIGINAL

© 1994 Wm. P. & S. Co.

NO. 920186

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.  
 CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA

PROFILE  
NO.

10405

PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_

WASTE DESCRIPTION Soil GENERATING PROCESS Excavation  
 COMPONENTS OF WASTE PPM % COMPONENTS OF WASTE PPM %

Soil 99-100% VOC 0.0 PPM

TPH <.01% BESI#9034

PROPERTIES: ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_

HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
 WASTE AS DESCRIBED IS 100%  
 NON-HAZARDOUS.

EMCOON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME CHARLES E. McLAUGHLIN  
 ADDRESS 831 ANN ARBOR  
 CITY, STATE, ZIP VENTURA CA 93004  
 PHONE NO. 805-647-4647  
 TRUCK, UNIT, I.D. NO. 93

EPA  
I.D.  
NO.

SERVICE ORDER NO. \_\_\_\_\_

PICK UP DATE 3/22/96

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME Bradley Landfill  
 ADDRESS 9227 Tujunga Ave.  
 CITY, STATE, ZIP Sun Valley, CA 91352  
 PHONE NO. 818-767-6180

EPA  
I.D.  
NO.

DISPOSAL METHOD

☐ LANDFILL ☐ OTHER \_\_\_\_\_

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	20.15
G/Q		RY/CO	HWDF	NONE

DISCREPANCY

708393

TSD FACILITY TO BE COMPLETED BY GENERATOR

(DRIVER: PLEASE SIGN BELOW)

709163

REFERENCE NO.

709163

(PLEASE SIGN HERE)

29152

BRADLEY LANDFILL AND  
RECYCLING CENTER  
2227 TUJUNGA AVENUE  
SUN VALLEY, CA 91352  
(818) 768-5856

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
831	831	SYD	10:35:24	03/22/96	17

CUSTOMER: BELSHIRE ENVIRONMENTAL

25422 TRABUCO RD. #105-269

EL TORO CA

COMMENTS:

GEO SRC:

MANIFEST NO.

PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	23.88	
	GROSS: 76760		
	TARE : 29000		
	NET : 47760		

WM00000

ORIGINAL

revised Jan 25, 2000 by Blevins

NO. 920185

## NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

Site: \_\_\_\_\_ EPA I.D. NO. \_\_\_\_\_ Not Required

NAME: The Dial Corp

ADDRESS: The Dial Tower  
1850 N. Central Ave.. 9400 Rayo Ave. PROFILE NO. 404053

CITY, STATE, ZIP: Phoenix, AZ 85004 South Gate, CA PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_

WASTE DESCRIPTION: Soil

COMPONENTS OF WASTE: Soil PPM 99-100%  
TPH PPM <.01%

GENERATING PROCESS: Excavation

COMPONENTS OF WASTE: VOC 0.0 PPM  
BESI#9034

PROPERTIES: pH \_\_\_\_\_ ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_

HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

TRANSPORTER

NAME: MODULAR TRUCK EPA I.D. NO. 40498165 0609

ADDRESS: 315 S TRACY LN

CITY, STATE, ZIP: ORANGE CA 92669 SERVICE ORDER NO. \_\_\_\_\_

PHONE NO. 1-714-538-5339 PICK UP DATE 3-22-96

TRUCK, UNIT, I.D. NO. 128-72 JAMES A. JONES James A. Jones 3-22-96

TYPED OR PRINTED FULL NAME & SIGNATURE DATE

TSD FACILITY

NAME: Bradley Landfill EPA I.D. NO. \_\_\_\_\_

ADDRESS: 9227 Tujunga Ave.

CITY, STATE, ZIP: Sun Valley, CA 91352

PHONE NO. 818-767-6180

DISPOSAL METHOD: ☐ LANDFILL ☐ OTHER \_\_\_\_\_

TYPED OR PRINTED FULL NAME & SIGNATURE: Steve Shee 3-22-90 DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	231.88
C/D		RT/CD	HWDF	NONE

DISCREPANCY

7091645 void  
709163

(DRIVER: PLEASE SIGN BELOW)

707644

REFERENCE NO.  
707644

(PLEASE SIGN HERE)

R

29152

BRADLEY LANDFILL AND  
RECYCLING CENTER  
2227 TUJUNGA AVENUE  
BURN VALLEY, CA 91352  
(818)768-5856

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
588		XG	10:26:07	03/22/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL

25422 TRABUCO RD. #105-269

EL TORO CA

COMMENTS:

GEO SRC:

MANIFEST NO.
PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER GROSS: 75800 TARE : 28500 NET : 47300	23.65	

ORIGINAL

WM0000

1-800-875-8288

Gross & Tare Weights Includ Driver on Scale  
TPS TECHNOLOGIES INC.  
12328 Hibiscus Ave. Adelanto, CA 92301

ADE 008194  
J. TORRES

### WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

Manifest # A07 06755 014

03/22/96

#### Generator Site Information

THE DIAL CORP.

9400 RAYO AVE.

#### Facility Information

TPS TECHNOLOGIES

12328 HIBISCUS AVE.

SOUTH GATE, CA 90280

USA

Adelanto, CA 92301

USA

			LBS	TONS	
SCLEMENT IN --->	05:03:37pm	Gross Wt:	61,320	30.66	Scale # 1
SCLEMENT OUT -->	05:03:58pm	Tare Wt:	31,520	15.76	Scale # 1
Truck Number	116	NET WT:	29,800	14.90	
Trailer Number	216				

*clean up load*

Gross & Tare Weights Includ Driver on Scale

W. A. WOODS

NO. 920184

## NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

Site: \_\_\_\_\_ EPA I.D. NO. \_\_\_\_\_ Not Required

NAME The Dial Corp

ADDRESS The Dial Tower 1850 N. Central Ave.. 9400 Rayo Ave. PROFILE NO. 404063

CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_

WASTE DESCRIPTION Soil GENERATING PROCESS Excavation

COMPONENTS OF WASTE		PPM	%	COMPONENTS OF WASTE		PPM	%
1. <u>Soil</u>			<u>99-100%</u>	5. <u>VOC</u>	<u>0.0</u>		
2. <u>TPH</u>			<u>&lt;.01%</u>	6. _____			
3. _____				7. <u>BESI#9034</u>			
4. _____				8. _____			

PROPERTIES: pH \_\_\_\_\_ ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_

HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE WASTE AS DESCRIBED IS 100% NON-HAZARDOUS. EMCON as an agent of THE DIAL Corp DATE 3-22-96

TYPED OR PRINTED FULL NAME & SIGNATURE \_\_\_\_\_

TRANSPORTER

NAME MORACE TRUCK EPA I.D. NO. CAD 981650609

ADDRESS 315 S TRACY LN SERVICE ORDER NO. \_\_\_\_\_

CITY, STATE, ZIP ORANGE CALIF 92669 PICK UP DATE 3-22-96

PHONE NO. 1-714-538-5385 ROGER HADFIELD DATE 3-22-96

TRUCK, UNIT, I.D. NO. 129-22T TYPED OR PRINTED FULL NAME & SIGNATURE \_\_\_\_\_

TSD FACILITY

NAME Bradley Landfill EPA I.D. NO. \_\_\_\_\_

ADDRESS 9227 Tujunga Ave. DISPOSAL METHOD ☐ LANDFILL ☐ OTHER \_\_\_\_\_

CITY, STATE, ZIP Sun Valley, CA 91352

PHONE NO. 818-767-6180

Jim Lee P. P. P. M. DATE 3-22-96

TYPED OR PRINTED FULL NAME & SIGNATURE \_\_\_\_\_

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
COD		RT/COD	HWDF	

DISCREPANCY

707644

(DRIVER: PLEASE SIGN BELOW)

707636

REFERENCE NO.  
707636



(PLEASE SIGN HERE)

John K

29152

BRADLEY LANDFILL AND  
RECYCLING CENTER  
9227 TUJUNGA AVENUE  
SUN VALLEY, CA 91352  
(818) 768-5856

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
1588	1588	XG	9:39	03/22/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269  
EL TORO CA  
COMMENTS:  
GEO SRC:

MANIFEST NO. 1588  
PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	29.27	
	GROSS: 86340		
	TARE: 27800		
	NET: 58540		

WM0090

ORIGINAL

WM0090 03/22/96 09:39



No. 920183

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1860 N. Central Ave.. 9400 Bayo Ave.  
 CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA

PROFILE  
NO.

104053

PHONE NO. 602 207-7100

CONTAINERS: No.

VOLUME

WEIGHT

TYPE:

☐ TANK TRUCK☒ DUMP TRUCK☐ DRUMS☐ CARTONS☐ OTHER

WASTE DESCRIPTION

COMPONENTS OF WASTE

PPM

%

GENERATING PROCESS

COMPONENTS OF WASTE

PPM

%

Soil

Excavation

Soil

99-100%

VOC

PPM

TPH

&lt;.01%

BES1#9034

PROPERTIES:

pH

☐ SOLID☐ LIQUID☐ SLUDGE☐ SLURRY☐ OTHER

HANDLING INSTRUCTIONS:

Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
 WASTE AS DESCRIBED IS 100%  
 NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME

Triple D Transport

EPA  
I.D.  
NO.

ADDRESS

25835 Markham Ave #140

SERVICE ORDER NO.

CITY, STATE, ZIP

Sanita, Ca. 90717

PICK UP DATE

PHONE NO.

K 87

JOHN KOSAREFF

John Kosareff 3-22-90

TRUCK UNIT, I.D. NO.

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME

Bradley Landfill

EPA  
I.D.  
NO.

ADDRESS

9227 Tujunga Ave.

DISPOSAL METHOD

☐ LANDFILL☐ OTHER

CITY, STATE, ZIP

Sun Valley, CA 91352

PHONE NO.

818-767-6180

Steven Hui

O. OPPN

3-22-90

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/Q		RT/CD	HWDF	NONE

DISCREPANCY

707636


TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY

(DRIVER: PLEASE SIGN BELOW)

707628



REFERENCE NO.  
707628

(PLEASE SIGN HERE)

29152

BRADLEY LANDFILL AND  
RECYCLING CENTER  
7227 TUSONGA AVENUE  
SUN VALLEY, CA 91352  
(818) 768-5856

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
588		YD	9:20:38	08/22/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL

25422 TRABUCO RD. #105-269

EL TORO CA

COMMENTS:

GEO SRC:

MANIFEST NO.
PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	24.42	
	GROSS: 78420		
	TARE : 29580		
	NET : 48840		

ORIGINAL

WYMO080

Original package up please

NO. 920182

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

[REDACTED]

NAME The Dial Corp  
The Dial TowerADDRESS 1850 N. Central Ave.. 9400 Bayo Ave.PROFILE  
NO.

[REDACTED]

CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CAPHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_

Soil

Excavation

WASTE DESCRIPTION COMPONENTS OF WASTE PPM % GENERATING PROCESS COMPONENTS OF WASTE PPM %

Soil

99-100%

VOC

PPM

TPH

&lt;.01%

BESI#9034

PROPERTIES: ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_

Wear appropriate protective clothing

HANDLING INSTRUCTIONS: \_\_\_\_\_

THE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp.

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME CHARLES E. McLAUGHLINEPA  
I.D.  
NO.

[REDACTED]

ADDRESS 831 ANN ARBOR

SERVICE ORDER NO. \_\_\_\_\_

CITY, STATE, ZIP VENTURA CA 93004PICK UP DATE 3/22/96PHONE NO. 805-6474647CHARLES E. McLAUGHLIN3/27/96TRUCK UNIT I.D. NO. 93

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME Bradley LandfillEPA  
I.D.  
NO.

[REDACTED]

ADDRESS 9227 Tujunga Ave.

DISPOSAL METHOD

CITY, STATE, ZIP Sun Valley, CA 91352☐ LANDFILL ☐ OTHER \_\_\_\_\_PHONE NO. 818-767-6180Allen Hae040003-22-96

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O		RT/CD	HWDF	NONE

DISCREPANCY

707628

TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY

(DRIVER: PLEASE SIGN BELOW)

707625

REFERENCE NO.  
707625

(PLEASE SIGN HERE)

*M. J. Smith*

29152

BRADLEY LANDFILL AND  
RECYCLING CENTER  
227 TUDUNGA AVENUE  
SUN VALLEY, CA 91352  
(818) 268-5856

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
11111111	11111111	1111	9117125	08/22/96	1111

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269  
EL TORO CA  
COMMENTS:  
GEO SRC:

MANIFEST NO.
PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	WEIGHT
919	COVER	26.41	
	GROSS : 82720		
	TARE : 29900		
	NET : 52820		

W140350

Q 140350 94/10/96 10 10/10/96

ORIGINAL

NO. 920181

## NON-HAZARDOUS WASTE DATA FORM

Site: \_\_\_\_\_ EPA I.D. NO. \_\_\_\_\_

NAME The Dial Corp

ADDRESS The Dial Tower

1850 N. Central Ave.. 9400 Rayo Ave.

CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_

WASTE DESCRIPTION Soil GENERATING PROCESS Excavation

COMPONENTS OF WASTE PPM % COMPONENTS OF WASTE PPM %

1. Soil 99-100% 5. VOC 2.0 PPM

2. TPH <.01% 6. \_\_\_\_\_

3. \_\_\_\_\_ 7. BESI#9034

4. \_\_\_\_\_ 8. \_\_\_\_\_

PROPERTIES: ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_

HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE WASTE, AS DESCRIBED, IS 100% NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME & SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_

NAME MIKE #50N EPA I.D. NO. \_\_\_\_\_

3116 Big Delton Ave #D

CITY, STATE, ZIP Baldwin Park CA SERVICE ORDER NO. \_\_\_\_\_

PHONE NO. 818 960 4366 PICK UP DATE \_\_\_\_\_

TRUCK UNIT, I.D. NO. 11-4 Miguel Garcia Miguel 3-22-90

TYPED OR PRINTED FULL NAME & SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_

NAME Bradley Landfill EPA I.D. NO. \_\_\_\_\_

ADDRESS 9227 Tujunga Ave.

CITY, STATE, ZIP Sun Valley, CA 91352 DISPOSAL METHOD ☐ LANDFILL ☐ OTHER \_\_\_\_\_

PHONE NO. 818-767-6180

Steven Lee 3-22-90

TYPED OR PRINTED FULL NAME & SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
CO		RTCO	HWDF	

DISCREPANCY

707625

TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY

(DRIVER: PLEASE SIGN BELOW)

707624

REFERENCE NO.  
707624

(PLEASE SIGN HERE)

*[Signature]*

29152

BRADLEY LANDFILL AND  
RECYCLING CENTER  
2227 TUBONGA AVENUE  
SUN VALLEY, CA 94352  
(818)768-5856

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
999		XG	9:15:28	03/22/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269  
EL TORO CA  
COMMENTS:  
GEO SRC:

MANIFEST NO.  
PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	26.57	
	GROSS: 81640		
	TARE : 28500		
	NET : 53140		

ORIGINAL

W400000

© 1996 by the State of California



NO. 920166

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.

PROFILE  
NO.

101088

CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA

PHONE NO. 602 207-7100CONTAINERS: No. 1111

VOLUME

WEIGHT

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER

Soil

Excavation

WASTE DESCRIPTION COMPONENTS OF WASTE PPM % GENERATING PROCESS COMPONENTS OF WASTE PPM %

1. Soil 99-100% 5. VOC PPM  
 2. TPH <.01% 6. PPM  
 3. PPM 7. PPM  
 4. PPM 8. PPM

DESI#9034

PROPERTIES: pH        ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

Wear appropriate protective clothing

HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
 WASTE AS DESCRIBED IS 100%  
 NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

NAME ROBERT KEEGEREPA  
I.D.  
NO.ADDRESS 29975 HAPPY HUNTERSERVICE ORDER NO.       CITY, STATE, ZIP CALIFORNIA LAKE CAPICK UP DATE       PHONE NO. 909 244-8929TRUCK UNIT, I.D. NO. 65

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

EPA  
I.D.  
NO.

DISPOSAL METHOD

NAME Bradley LandfillADDRESS 9227 Tujunga Ave.☐ LANDFILL ☐ OTHERCITY, STATE, ZIP Sun Valley, CA 91352PHONE NO. 818-767-6180

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

EPA  
I.D.  
NO.

DISPOSAL METHOD

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O		RTCD	HWDF	NONE

DISCREPANCY

7C7624

TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY

(DRIVER: PLEASE SIGN BELOW)

707525

REFERENCE NO.

707525

(PLEASE SIGN HERE)

*Albert M. C...*

29152

BRADLEY LANDFILL AND  
RECYCLING CENTER  
9222 TUJUNGA AVENUE  
BUN VALLEY, CA 91352

(818) 768-5856

CUSTOMER NO.	TIME	INITIALS	DATE	BATCH NO.
885 31	5/6	7:07:37	03/22/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL

25422 TRABUCO RD. #105-269

EL TORO CA

COMMENTS:

GEO SRC:

MANIFEST NO.

PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
719	COVER	24.17	
	GROSS: 78540		
	TARE : 30200		
	NET : 48340		

ORIGINAL

WNA0000

0 Added Backfile up 2/2/96



NO. 920165

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.  
Phoenix, AZ 85004 South Gate, CA  
 CITY, STATE, ZIP

PROFILE  
NO.

07059

PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☒ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_WASTE DESCRIPTION: Soil Excavation  
 COMPONENTS OF WASTE: Soil VOC  
 PPM PPM PPM PPM1. 99-100% 5. BESI#90342. <.01% 6. \_\_\_\_\_

3. \_\_\_\_\_ 7. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

PROPERTIES: ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_

Wear appropriate protective clothing

HANDLING INSTRUCTIONS: \_\_\_\_\_

THE GENERATOR CERTIFIES THAT THE  
 WASTE AS DESCRIBED IS 100%  
 NON-HAZARDOUS

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME ALBERTO M Cruz TRIGG EPA I.D. NO. \_\_\_\_\_ADDRESS 617 N. KERNAN ST SERVICE ORDER NO. \_\_\_\_\_CITY, STATE, ZIP MONTEBELLO CA 90640 PICK UP DATE \_\_\_\_\_PHONE NO. 310 470 1000 TYPED OR PRINTED FULL NAME & SIGNATURE ALBERTO M Cruz DATE 3/20/86TRUCK UNIT, I.D. NO. 1 TYPED OR PRINTED FULL NAME & SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_NAME Bradley Landfill EPA I.D. NO. \_\_\_\_\_ADDRESS 9227 Tujunga Ave. DISPOSAL METHOD ☐ LANDFILL ☐ OTHER \_\_\_\_\_CITY, STATE, ZIP Sun Valley, CA 91352PHONE NO. 818-767-6180TYPED OR PRINTED FULL NAME & SIGNATURE Steven J Lee DATE 3-22-86

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
CO		RT/CD	HWDF	NONE

DISCREPANCY

TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY

(DIVER: PLEASE SIGN BELOW)

707621

REFERENCE NO.  
707621

(PLEASE SIGN HERE)

Oscar Castelan Rojas

BRADLEY LANDFILL AND  
RECYCLING CENTER  
9227 TUJUNGA AVENUE  
SUN VALLEY, CA 91352

(818)758-5856

CUSTOMER NO.	PLUCK NO.	INITIALS	TIME	DATE	BATCH NO.
1000000000	1000000000	KG	9:19:11	08/22/96	1000000000

CUSTOMER: BELSHIRE ENVIRONMENTAL

25422 TRABUCO RD. #105-269

EL TORO CA

COMMENTS:

GEO SRC:

MANIFEST NO.
1000000000

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	26.30	
	GROSS: 81600		
	TARE : 29000		
	NET : 52600		

ORIGINAL

NO. 920164

## NON-HAZARDOUS WASTE DATA FORM

Site:

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.  
Phoenix, AZ 85004 South Gate, CA  
 CITY, STATE, ZIP 602 207-7100  
 PHONE NO. ( )

EPA  
ID.  
NO.

Not Required

PROFILE  
NO.

404058

CONTAINERS: No.                      VOLUME                      WEIGHT                     TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER                     

Soil

Excavation

WASTE DESCRIPTION COMPONENTS OF WASTE PPM 99-100% GENERATING PROCESS COMPONENTS OF WASTE PPM 20 PPM                     1. Soil 2. TPH 3.                      4.                      5.                      6.                      7.                      8.                     PROPERTIES: pH                      ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER                     HANDLING INSTRUCTIONS: Wear appropriate protective clothingTHE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCON as an agent of THE DIAL CORP

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME R-R-Trucking EPA ID. NO.                     ADDRESS 610 W Giordano ST SERVICE ORDER NO.                     CITY, STATE, ZIP Covina CA 91722 PICK UP DATE 3-22-96PHONE NO. 710 534-2045 Oscar Castelan Rojas 3-22-96TRUCK, UNIT, I.D. NO.                      TYPED OR PRINTED FULL NAME & SIGNATURE                      DATE                     NAME Bradley Landfill EPA ID. NO.                     ADDRESS 9227 Tujunga Ave. DISPOSAL METHOD                     CITY, STATE, ZIP Sun Valley, CA 91362 ☐ LANDFILL ☐ OTHER                     PHONE NO. 818-767-6180TYPED OR PRINTED FULL NAME & SIGNATURE                      DATE 3-22-96

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
G/O		RT/CD	HWDF	NONE

DISCREPANCY

(DRIVER: PLEASE SIGN BELOW)

707517

REFERENCE NO.

707517

(PLEASE SIGN HERE)

*[Handwritten Signature]*

29152

BRADLEY LANDFILL AND  
RECYCLING CENTER  
2227 COJUNGA AVENUE  
SUN VALLEY, CA 91352

(818) 768-5858

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
588		XG	710113	08/22/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269

EL TORO CA

COMMENTS:

GEO SRC:

MANIFEST NO.
PERMIT NO.

LOAD NO.	DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	24.51	
	GROSS: 80020		
	TARE : 31000		
	NET : 49020		

W40080

ORIGINAL

Q 10000 00.0000 00.0000

NO. 920163

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.  
 CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA

PROFILE  
NO.PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_

WASTE DESCRIPTION Soil Excavation  
 COMPONENTS OF WASTE PPM % COMPONENTS OF WASTE PPM %

1. Soil 99-100% 5. VOC 12.0 PPM %

2. TPH <.01% 6. \_\_\_\_\_ PPM %

3. \_\_\_\_\_ 7. BESI#9034 PPM %

4. \_\_\_\_\_ 8. \_\_\_\_\_ PPM %

PROPERTIES: pH \_\_\_\_\_ ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCOON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME R. R. Trucking EPA I.D. NO. \_\_\_\_\_ADDRESS 610 W. Glendale St SERVICE ORDER NO. \_\_\_\_\_CITY, STATE, ZIP Covina CA 91722 PICK UP DATE 3-22-96PHONE NO. 310 534 2045 T. Smoel RodriguezTRUCK, UNIT, I.D. NO. 607 TYPED OR PRINTED FULL NAME & SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_NAME Bradley Landfill EPA I.D. NO. \_\_\_\_\_ADDRESS 9227 Tujunga Ave. DISPOSAL METHOD ☐ LANDFILL ☐ OTHER \_\_\_\_\_CITY, STATE, ZIP Sun Valley, CA 91352PHONE NO. 818-767-6180

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O		RT/CD	HWDF	NONE

DISCREPANCY

(DRIVER: PLEASE SIGN BELOW)

707617

REFERENCE NO.  
707617

(PLEASE SIGN HERE)

*Lincoln Motion*

BRADLEY LANDFILL AND  
RECYCLING CENTER

2227 THUNGA AVENUE  
SUN VALLEY, CA 91352

(818) 768-5856

CONTAINER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
			07:33	03/28/94	

CUSTOMER: BELSHIRE ENVIRONMENTAL

25422 TRABUCO RD. #105-269

EL TORO CA

COMMENTS:

GEO SRC:

MANIFEST NO.
UNIT NO.

ITEM NO.	DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	23.87	
	GROSS: 77740		
	TARE: 30000		
	NET: 47740		

ORIGINAL



NO. 920162

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
ID.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1860 N. Central Ave.. 9400 Rayo Ave.  
Phoenix, AZ 85004 South Gate, CA  
 CITY, STATE, ZIP

PROFILE  
NO.PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_

Soil

Excavation

WASTE DESCRIPTION: COMPONENTS OF WASTE: \_\_\_\_\_ PPM %  
Soil 99-100%  
TPH <.01%  
 GENERATING PROCESS: COMPONENTS OF WASTE: \_\_\_\_\_ PPM %  
VOC 0.0 PPM  
BES1#9034

PROPERTIES: pH \_\_\_\_\_ ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
 WASTE AS DESCRIBED IS 100%  
 NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp.  
 TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

NAME R. R. Trucking  
 ADDRESS 610 W. Giordano St  
 CITY, STATE, ZIP Covina CA 91722  
 PHONE NO. 310 534 2045

EPA  
ID.  
NO.

SERVICE ORDER NO. \_\_\_\_\_

PICK UP DATE 3 22 96TRUCK, UNIT, I.D. NO. 03

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME Bradley LandfillEPA  
ID.  
NO.

DISPOSAL METHOD

ADDRESS 9227 Tujunga Ave.☐ LANDFILL ☐ OTHER \_\_\_\_\_CITY, STATE, ZIP Sun Valley, CA 91352PHONE NO. 818-767-6180

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O		RT/CO	HWDF	NONE

DISCREPANCY

707617

(DRIVER: PLEASE SIGN BELOW)

707615

REFERENCE NO.  
707615

(PLEASE SIGN HERE)

*[Signature]*

29152

SUN VALLEY LANDFILL AND  
RECYCLING CENTER  
25422 TRABUCO AVENUE  
SUN VALLEY, CA 91352  
(818)768-5856

CUSTOMER NO.	INITIALS	TIME	DATE	BATCH NO.
5535	YB	05:51	09/22/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269  
EL TORO CA  
COMMENTS:  
GEO SRC:

MANIFEST NO.  
UNIT NO.

LOAD CODE	DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	24.25	
	GROSS: 79100		
	TARE : 30600		
	NET : 48500		

ORIGINAL

W440030

0 added on 09/22/96 09:51



Lot: 30,600

NO. 920161

# NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
ADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.  
CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA

PROFILE  
NO.

101053

PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_

WASTE DESCRIPTION Soil GENERATING PROCESS Excavation  
COMPONENTS OF WASTE PPM % COMPONENTS OF WASTE PPM %  
1. Soil 99-100% 5. VOC 20 PPM  
2. TPH <.01% 6. \_\_\_\_\_  
3. \_\_\_\_\_ 7. BESI#9034  
4. \_\_\_\_\_ 8. \_\_\_\_\_

PROPERTIES: pH \_\_\_\_\_ ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_

HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp.

TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

NAME Grant Triple D  
ADDRESS 25835 Naibonne  
CITY, STATE, ZIP Comita CA  
PHONE NO. \_\_\_\_\_  
TRUCK, UNIT, I.D. NO. 91

EPA  
I.D.  
NO.

\_\_\_\_\_

SERVICE ORDER NO. \_\_\_\_\_

PICK UP DATE \_\_\_\_\_

Carlos Moraleja  
TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

NAME Bradley Landfill  
ADDRESS 9227 Tujunga Ave.  
CITY, STATE, ZIP San Valley, CA 91352  
PHONE NO. 818-767-6180

EPA  
I.D.  
NO.

\_\_\_\_\_

DISPOSAL METHOD

☐ LANDFILL ☐ OTHER \_\_\_\_\_

Shu Shu  
TYPED OR PRINTED FULL NAME & SIGNATURE

3-22-90

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
CO		RT/CD	HWDF	NONE

DISCREPANCY

7C 1615

(DRIVER: PLEASE SIGN BELOW)

707595

REFERENCE NO.  
707595

(PLEASE SIGN HERE)

29152

BRADLEY LANDFILL AND  
RECYCLING CENTER  
2227 TUSUNGA AVENUE  
SUN VALLEY, CA 91352  
(818) 768-5856

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
25422	105-269	XG	8:45:15	03/22/96	633

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269  
EL TORO CA  
COMMENTS:  
GEO SRC:

MANIFEST NO. 37  
PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	22.57	
	GROSS: 74140		
	TARE : 29000		
	NET : 45140		

WINDING

ORIGINAL

0-0010 1003200-00 0000-00

NO. 920160

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial TowerADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.PROFILE  
NO.

404053

CITY, STATE, ZIP Phoenix, AZ 85004South Gate, CAPHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_

VOLUME \_\_\_\_\_

WEIGHT \_\_\_\_\_

TYPE:

☐TANK  
TRUCK☐DUMP  
TRUCK☐

DRUMS

☐

CARTONS

☐

OTHER \_\_\_\_\_

Soil

Excavation

WASTE DESCRIPTION

COMPONENTS OF WASTE

PPM

99-100%

GENERATING PROCESS

COMPONENTS OF WASTE

PPM

VOC 2.0 PPM

1. \_\_\_\_\_

5. \_\_\_\_\_

2. \_\_\_\_\_

6. \_\_\_\_\_

3. \_\_\_\_\_

7. \_\_\_\_\_

4. \_\_\_\_\_

8. \_\_\_\_\_

PROPERTIES:

PH \_\_\_\_\_

☐

SOLID

☐

LIQUID

☐

SLUDGE

☐

SLURRY

☐

OTHER \_\_\_\_\_

Wear appropriate protective clothing

HANDLING INSTRUCTIONS: \_\_\_\_\_

THE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCON as an agent of THE DIAL CORP

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME

Mables Trucking

EPA  
I.D.  
NO.

ADDRESS

315 S Tracy Lane

SERVICE ORDER NO. \_\_\_\_\_

CITY, STATE, ZIP

Orange, CA

PICK UP DATE

3-22-96

PHONE NO.

714-538-5339

JAMES A. JONES

3-22-96

TRUCK, UNIT, I.D. NO.

128 T2

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME

Bradley Landfill

EPA  
I.D.  
NO.

ADDRESS

9227 Tujunga Ave.

DISPOSAL METHOD

☐

LANDFILL

☐

OTHER \_\_\_\_\_

CITY, STATE, ZIP

Sun Valley, CA 91352

PHONE NO.

818-767-6180

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	22.57
C/D		RT/CD	HWDF	NONE

DISCREPANCY

70 7595

TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY

707536



REFERENCE NO.  
707536

Miguel Serrano

25162

BRADLEY CANNELL AND  
RECYCLING CENTER  
2227 HOLLAND AVENUE  
SUN VALLEY, GA 31352  
(818) 768-5852

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
		XG	7127/89	03/22/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269

EL TORO CA

COMMENTS:

GEO SRC:

MANIFEST NO.

PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	24.18	
	GROSS : 78250		
	TARE : 29900		
	NET : 48350		

ORIGINAL

**Decorative**

1. **అవగాహన** - ప్రతి ఒక్కరినీ తెలుగులో ఉన్నత విద్యను పూర్తి చేయించి, ఆధునిక విద్యను అందుకుంటున్నట్లుగా చేయాలి.

NO. 920159

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1860 N. Central Ave.. 9400 Rayo Ave.  
 CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA

PROFILE  
NO.PHONE NO. 602 207-7100CONTAINERS: No. 11 VOLUME 11 WEIGHT 11TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHERWASTE DESCRIPTION Soil GENERATING PROCESS Excavation

COMPONENTS OF WASTE PPM % COMPONENTS OF WASTE PPM %

1. Soil 99-100% 5. VOC 0.0 PPM2. TPH <.01% 6. 3.  7. BESI#90344.  8. PROPERTIES: pH  ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHERHANDLING INSTRUCTIONS: Wear appropriate protective clothingTHE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME MIKE #500EPA  
I.D.  
NO.ADDRESS 3116 Big Delton Ave #DSERVICE ORDER NO. CITY, STATE, ZIP Baldwin Park CA 91706PICK UP DATE PHONE NO. 818-960-4366TRUCK, UNIT, I.D. NO. 11-4

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME Bradley LandfillEPA  
I.D.  
NO.ADDRESS 9227 Tujunga Ave.

DISPOSAL METHOD

CITY, STATE, ZIP Sun Valley, CA 91352☐ LANDFILL ☒ OTHER SPPHONE NO. 818-767-6180

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O		RT&D	HWDF	NONE

DISCREPANCY

TO BE COMPLETED BY GENERATOR

TO BE COMPLETED BY TRANSPORTER

DISCREPANCY

VER: PLEASE SIGN BELOW)

707574

REFERENCE NO.  
707574

(PLEASE SIGN HERE)

*[Signature]*

29152

BRADLEY LANDFILL AND  
RECYCLING CENTER  
7227 TUDINGA AVENUE  
SUN VALLEY, CA 91352  
(818) 768-5856

CUSTOMER NO. 369	TRUCK NO.	INITIALS XG	TIME 8:20:58	DATE 08/22/96	BATCH NO.
---------------------	-----------	----------------	-----------------	------------------	-----------

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269  
EL TORO CA  
COMMENTS:  
GEO SRC:

MANIFEST NO.  
PERMIT NO.

QUANTITY	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	24.37	
	GROSS: 77230		
	TARE: 28500		
	NET: 48730		

ORIGINAL

WMS0390

Reproducible by Xerox Corporation

NO. 920158

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial CorpADDRESS The Dial TowerADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.PROFILE  
NO

404053

CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CAPHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_WASTE DESCRIPTION Soil Excavation  
COMPONENTS OF WASTE PPM % COMPONENTS OF WASTE PPM %1. Soil 99-100% 5. VOC 0.0 PPM2. TPH <.01% 6. \_\_\_\_\_3. \_\_\_\_\_ 7. BESI#9034

4. \_\_\_\_\_ 8. \_\_\_\_\_

PROPERTIES: pH \_\_\_\_\_ ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_HANDLING INSTRUCTIONS: Wear appropriate protective clothingTHE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

3-22-96

NAME MORALES TRICKEPA  
I.D.  
NO.

CAD 981650609

ADDRESS 315 S TRACY LN

SERVICE ORDER NO. \_\_\_\_\_

CITY, STATE, ZIP ORANGE CALIF 92669PICK UP DATE 3-22-96PHONE NO. 1-714-536-5339

POZZER HAD FIELD

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

3-22-96

TRUCK, UNIT, I.D. NO. 127NAME Bradley LandfillEPA  
I.D.  
NO.ADDRESS 9227 Tujunga Ave.

DISPOSAL METHOD

☐ LANDFILL ☐ OTHER \_\_\_\_\_CITY, STATE, ZIP Sun Valley, CA 91352PHONE NO. 818-767-6180

0.0 PPM

Steve Ytter

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

3-22-96

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O		RT/CD	HWDF	NONE

DISCREPANCY

707574

TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY



707620

707620

Albert Cury

4448

BRADLEY LANDFILL AND  
RECYCLING CENTER  
9227 STUJUNGA AVENUE  
SUN VALLEY, CA 91352

(B18) 768-5856

CONTAINER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
1583		XG	9:12:36	03/22/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269

EL TORO CA

COMMENTS:

GEO SRC:

MANIFEST NO.

**PERMIT NO.**

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	25.70	
	GROSS: 81590		
	TARE: 30200		
	NET: 51390		

ORIGINAL

[illegible]

• **Prevalence** is the proportion of people with a disease at a particular point in time.



NO. 920157

## NON-HAZARDOUS WASTE DATA FORM

Site: \_\_\_\_\_ EPA I.D. NO. \_\_\_\_\_

NAME: The Dial Corp PROFILE NO. \_\_\_\_\_

ADDRESS: The Dial Tower

1850 N. Central Ave. 9400 Mayo Ave.

CITY, STATE, ZIP: Phoenix, AZ 85004 South Gate, CA PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☒ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION: Soil GENERATING PROCESS: Excavation

COMPONENTS OF WASTE PPM COMPONENTS OF WASTE PPM

1. Soil 97-100% 5. VOC 2.0 PPM

2. TPH <.01% 6. \_\_\_\_\_

3. \_\_\_\_\_ 7. BESI#9034

4. \_\_\_\_\_

PROPERTIES: ☐ SOLID ☐ LIQUID ☒ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

NAME: Alberto M. Cruz Takig EPA I.D. NO. \_\_\_\_\_

ADDRESS: 612 N. IZABEAL ST

CITY, STATE, ZIP: Montebello CA 90640 SERVICE ORDER NO. \_\_\_\_\_

PHONE NO. 310-724-4271 PICK UP DATE: 3/22/96

TRUCK UNIT I.D. NO. \_\_\_\_\_ TYPED OR PRINTED FULL NAME & SIGNATURE: Alberto M. Cruz DATE: 3-22-96

NAME: Bradley Landfill EPA I.D. NO. \_\_\_\_\_

ADDRESS: 9227 Tujunga Ave. DISPOSAL METHOD: ☒ LANDFILL ☐ OTHER

CITY, STATE, ZIP: San Valley, CA 91352

PHONE NO. 818-767-6189

TYPED OR PRINTED FULL NAME & SIGNATURE: Walter L. Fung DATE: 3/22/96

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O		RT/CD	HWDF	

DISCREPANCY

TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY

707525

707531

John K.

BRADLEY LANDFILL AND  
RECYCLING CENTER  
9227 HUNTING AVENUE  
SUN VALLEY, CA 91352  
(818) 788-5856

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
981		VG	7:14:46	03/22/98	

CUSTOMER: BELSHIRE ENVIRONMENTAL

25422 TRABUCO RD. #105-269

EL TORO CA

COMMENTS:

GEO SRC:

MANIFEST NO. 1234567890  
PERMIT NO. 1234567890

LOAD NUMBER	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	25.89	
	GROSS: 79580		
	TARE : 27800		
	NET : 51780		

ORIGINAL

**0665283**

• **የጥገና ማዘጋጀት**፡ የጥገና ማዘጋጀት ማድረግ፡

No. 920154

# NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
ADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.

PROFILE  
NO.

01063

CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA

PHONE NO. 602 207-7100

CONTAINERS: No. 1 VOLUME 1 WEIGHT 1

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION Soil GENERATING PROCESS Excavation  
COMPONENTS OF WASTE COMPONENTS OF WASTE

1. Soil PPM 99-100% 5. VOC PPM 0.0

2. TPH <.01% 6.  PPM

3.  7. BESI#9034

4.  8.

PROPERTIES: pH  ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

NAME Triple D Transport

EPA  
I.D.  
NO.

ADDRESS 25835 Naperville #140

SERVICE ORDER NO.

CITY, STATE, ZIP Sanita, Ca. 90717

PICK UP DATE

PHONE NO.

TRUCK UNIT I.D. NO. K 87

TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

NAME Bradley Landfill

EPA  
I.D.  
NO.

ADDRESS 9227 Tujunga Ave.

DISPOSAL METHOD

CITY, STATE, ZIP Sun Valley, CA 91352

☐ LANDFILL ☐ OTHER

PHONE NO. 818-767-6180

TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O		RT/CD	HWOF	NONE

DISCREPANCY

707531

TO BE COMPLETED BY GENERATOR

TRANSPORTER

DISPOSAL FACILITY

(DRIVER: PLEASE SIGN BELOW)

707520

REFERENCE NO.

707520

(PLEASE SIGN HERE)

*[Signature]*

29152

BRADLEY LANDFILL AND  
RECYCLING CENTER

2227 TUNJUNGA AVENUE  
SUN VALLEY, CA 91352

(818) 748-5856

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
583		XG	7:03:37	10/22/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL

25422 TRABUCO RD. #105-269

EL TORO CA

COMMENTS:

GEO SRC:

MANIFEST NO.
PERMIT NO.

GLD CODE	IN UNIT	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919		COVER	25.41	
		GROSS: 79320		
		TARE : 28500		
		NET : 50820		

ORIGINAL

WM0090

0000 00 0000 00 0000

NO. 920153

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.

PROFILE  
NO.

CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA

PHONE NO. 602 207-7100

CONTAINERS: No.

VOLUME

WEIGHT

TYPE:

☐TANK  
TRUCK☐DUMP  
TRUCK☐

DRUMS

☐

CARTONS

☐

OTHER

Soil

Excavation

WASTE DESCRIPTION

COMPONENTS OF WASTE

PPM

%

GENERATING PROCESS

COMPONENTS OF WASTE

PPM

%

1. Soil 99-100%5. VOC 0.0 PPM2. TPH <.01%6. BESI#90343. 7. 4. 8. 

PROPERTIES:

pH

☐

SOLID

☐

LIQUID

☐

SLUDGE

☐

SLURRY

☐

OTHER

HANDLING INSTRUCTIONS:

Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME ROBERT L BERGIEREPA  
I.D.  
NO.ADDRESS 29975 HAPPY HUNTER

SERVICE ORDER NO.

CITY, STATE, ZIP CANYON LAKE

PICK UP DATE

PHONE NO. 909 244-8929ROBERT L BERGIER

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

TRUCK, UNIT, I.D. NO. GGNAME Bradley LandfillEPA  
I.D.  
NO.ADDRESS 9227 Tujunga Ave.

DISPOSAL METHOD

CITY, STATE, ZIP Sun Valley, CA 91352☐

LANDFILL

☐

OTHER

PHONE NO. 818-767-6180

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O		RT/CD	HWDF	NONE

DISCREPANCY

707520

TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY

(DRIVER: PLEASE SIGN BELOW)

707522

REFERENCE NO.  
707522

(PLEASE SIGN HERE)



29152

BRADLEY LANDFILL AND  
RECYCLING CENTER  
2227 TUNJUNGA AVENUE  
SUN VALLEY, CA 91352  
(818) 768-5856

CUSTOMER	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
588		GE	7:05:12	08/22/94	

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269  
EL TORO CA  
COMMENTS:  
GEO SRC:

MANIFEST NO.  
PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	24.02	
	GROSS: 77590		
	TARE: 29560		
	NET: 48030		

WM0090

ORIGINAL

WM0090 8/22/94 7:05:12



NO. 920152

## NON-HAZARDOUS WASTE DATA FORM

Site: \_\_\_\_\_ EPA ID. NO. \_\_\_\_\_  
NAME The Dial Corp  
ADDRESS The Dial Tower  
1850 N. Central Ave.. 9400 Bayo Ave.  
CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_WASTE DESCRIPTION: Soil GENERATING PROCESS: Excavation  
COMPONENTS OF WASTE PPM % COMPONENTS OF WASTE PPM %1. Soil 99-100% 5. VOC 0.0 PPM2. TPH <.01% 6. \_\_\_\_\_3. \_\_\_\_\_ 7. BESI#9034

4. \_\_\_\_\_ 8. \_\_\_\_\_

PROPERTIES: pH \_\_\_\_\_ ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☒ OTHER \_\_\_\_\_HANDLING INSTRUCTIONS: Wear appropriate protective clothingTHE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME CHARLES E. McLAUGHLIN EPA ID. NO. \_\_\_\_\_ADDRESS 831 ANN ARBOR SERVICE ORDER NO. \_\_\_\_\_CITY, STATE, ZIP VENTURA, CA 93004 PICK UP DATE \_\_\_\_\_PHONE NO. 805-647-4647 CHARLES E. McLAUGHLIN 3/22/96TRUCK, UNIT, I.D. NO. 93 TYPED OR PRINTED FULL NAME & SIGNATURE DATENAME Bradley Landfill EPA ID. NO. \_\_\_\_\_ADDRESS 9227 Tujunga Ave. DISPOSAL METHOD ☐ LANDFILL ☐ OTHER \_\_\_\_\_CITY, STATE, ZIP San Valley, CA 91352PHONE NO. 818-767-6180

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
COD		RTCO	HWDF	NONE

DISCREPANCY

707522

(DRIVER: PLEASE SIGN BELOW)

707519



REFERENCE NO. 707519
-------------------------

(PLEASE SIGN HERE)

*Oscar Castelan R.*

29152

BRADLEY LANDFILL AND RECYCLING CENTER 2227 ALBUQUERQUE AVENUE SUN VALLEY, CA 91352 (818) 768-5856
---

CUSTOMER NO. 389	TRUCK NO. 100	INITIALS BXG	TIME 7:02:55	DATE 03/22/96	BATCH NO.
------------------	---------------	--------------	--------------	---------------	-----------

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269  
EL TORO CA  
COMMENTS:  
GEO SRC:

MANIFEST NO.
PERMIT NO.

919	COVER	LOAD QUANTITY	AMOUNT
	GROSS: 81360	26.18	
	TARE : 29000		
	NET : 52360		

44100000

Printed on 10-10-95 10:00 AM

ORIGINAL



NO. 920151

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.  
 CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA

PROFILE  
NO.PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_WASTE DESCRIPTION Soil GENERATING PROCESS Excavation

COMPONENTS OF WASTE PPM % COMPONENTS OF WASTE PPM %

1. Soil 99-100% 5. VOC 0.0 PPM2. TPH <.01% 6. \_\_\_\_\_3. \_\_\_\_\_ 7. BESI#9034

4. \_\_\_\_\_ 8. \_\_\_\_\_

PROPERTIES: pH \_\_\_\_\_ ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
 WASTE AS DESCRIBED IS 100%  
 NON-HAZARDOUS.

EMCOON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME Oscar Castelan Rojas EPA I.D. NO. \_\_\_\_\_ADDRESS 610 W Groverdale st SERVICE ORDER NO. \_\_\_\_\_CITY, STATE, ZIP Covina Ca 91722 PICK UP DATE \_\_\_\_\_PHONE NO. 310 534-2045TRUCK, UNIT, I.D. NO. 2 TYPED OR PRINTED FULL NAME & SIGNATURE Oscar R Castelan DATE 3-22-96NAME Bradley Landfill EPA I.D. NO. \_\_\_\_\_ADDRESS 9227 Tujunga Ave. DISPOSAL METHOD ☐ LANDFILL ☐ OTHER \_\_\_\_\_CITY, STATE, ZIP Sun Valley, CA 91352PHONE NO. 818-767-6180

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/Q		RT/CO	HWDF	NONE

DISCREPANCY

TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY

7C7519

(DRIVER: PLEASE SIGN BELOW)

707616



REFERENCE NO.
707616

(PLEASE SIGN HERE)

*[Handwritten Signature]*

29152

BRADLEY LANDFILL AND RECYCLING CENTER 2227 TUBUNGA AVENUE SUN VALLEY, CA 91352 (818) 768-5856	
---	--

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
583		20	9106185	03/22/94	

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269  
EL TORO CA  
COMMENTS:  
GEO SRC:

MANIFEST NO.
PERMIT NO.

LOAD CODE	LOAD DESCRIPTION	LOAD QUANTITY	AMOUNT
919	COVER	25.30	
	GROSS: 81600		
	TARE : 31000		
	NET : 50600		

ORIGINAL

WIND0390

0 00000 000000 00 000000

NO. 920150

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
ID.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.  
 CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA

PROFILE  
NO.

101053

PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_WASTE DESCRIPTION Soil GENERATING PROCESS Excavation

COMPONENTS OF WASTE PPM %  
 1. Soil 99-100%  
 2. TPH <.01%

COMPONENTS OF WASTE PPM %  
 5. VOC 20 PPM  
 6. \_\_\_\_\_

3. \_\_\_\_\_ 7. BE31#9034

4. \_\_\_\_\_ 8. \_\_\_\_\_

PROPERTIES: pH \_\_\_\_\_ ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_HANDLING INSTRUCTIONS: Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
 WASTE AS DESCRIBED IS 100%  
 NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME R-A-TRUCKING EPA ID. NO. \_\_\_\_\_ADDRESS 610 W. Colorado STCITY, STATE, ZIP COVING CA 91322 SERVICE ORDER NO. \_\_\_\_\_PHONE NO. 310 534 2045 PICK UP DATE 3-22-96TRUCK UNIT, I.D. NO. 03 TYPED OR PRINTED FULL NAME & SIGNATURE Ismael Rodriguez DATENAME Bradley Landfill EPA ID. NO. \_\_\_\_\_ADDRESS 9227 Tujunga Ave. DISPOSAL METHODCITY, STATE, ZIP Sun Valley, CA 91352 ☐ LANDFILL ☐ OTHER \_\_\_\_\_PHONE NO. 818-767-6180TYPED OR PRINTED FULL NAME & SIGNATURE Steve Sheu DATE 3-22-96

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
CO		RT/CD	HWDF	NONE

DISCREPANCY

707516

(DRIVER: PLEASE SIGN BELOW)

707516

REFERENCE NO.  
707516

(PLEASE SIGN HERE)

*Spinao/Molina*

29152

BRIDGE PLANTER AND  
RECYCLING CENTER  
9227 TIBURCA AVENUE  
SUN VALLEY, CA 91352  
(818) 768-5856

TRUCK NO.	TRUCK	INITIALS	TIME	DATE	BATCH NO.
389		VG	2:00/45	03/23/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269  
EL TORO CA  
COMMENTS:  
GEO SRC:

MANIFEST NO.  
PERMIT NO.

MANIFEST NO.	LOAD QUANTITY	AMOUNT
919	26.20	
COVER		
GROSS: 82400		
TARE : 30000		
NET : 52400		

ORIGINAL

0800000000

0-0000000000-00 0000000000

NO. 920149

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME

The Dial Corp  
The Dial Tower

ADDRESS

1850 N. Central Ave.. 9400 Rayo Ave.

PROFILE  
NO.

201053

CITY, STATE, ZIP

Phoenix, AZ 85004

South Gate, CA

PHONE NO.

602 207-7100

CONTAINERS: No.

VOLUME

WEIGHT

TYPE:

☐TANK  
TRUCK☐DUMP  
TRUCK☐

DRUMS

☐

CARTONS

☐

OTHER

WASTE DESCRIPTION  
COMPONENTS OF WASTE

Soil.

PPM

%

GENERATING PROCESS  
COMPONENTS OF WASTE

Excavation

PPM

%

1.

Soil

99-100%

5.

VOC 6.0 PPM

2.

TPH

&lt;.01%

6.

3.

7.

BESI#9034

4.

8.

PROPERTIES:

pH

☐

SOLID

☐

LIQUID

☐

SLUDGE

☐

SLURRY

☐

OTHER

HANDLING INSTRUCTIONS:

Wear appropriate protective clothing

THE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME

R.A. Trucking

EPA  
I.D.  
NO.

ADDRESS

610 W Giovardale ST

SERVICE ORDER NO.

CITY, STATE, ZIP

Covina CA 91722

PICK UP DATE

3-22-96

PHONE NO.

310 534 2045

TRUCK, UNIT, I.D. NO.

607

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME

Bradley Landfill

EPA  
I.D.  
NO.

ADDRESS

9227 Tujunga Ave.

DISPOSAL METHOD

☐

LANDFILL

☒

OTHER

S.P.

CITY, STATE, ZIP

Sun Valley, CA 91352

PHONE NO.

818-767-6180

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE


GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O		RT/CD	HWDF	NONE.

DISCREPANCY

707517

(DRIVER: PLEASE SIGN BELOW)

707515



REFERENCE NO.

707515

(PLEASE SIGN HERE)

*Garfield*

28152

BRADLEY LANDFILL AND  
RECYCLING CENTER  
9227 TULINGA AVENUE  
SUN VALLEY, CA 91352  
(818) 768-5856

CUSTOMER NO.	TRUCK NO.	INITIALS	TIME	DATE	BATCH NO.
		YG	6:59:51	03/22/96	

CUSTOMER: BELSHIRE ENVIRONMENTAL  
25422 TRABUCO RD. #105-269  
EL TORO CA  
COMMENTS:  
GED SRC:

MANIFEST NO.

LOAD NO.	LOAD DESCRIPTION	LOAD QUANTITY	WEIGHT AMOUNT
919	COVER GROSS: 82350 TARE : 30600 NET : 51750	25.88	

ORIGINAL

WM0080

0.0000 00000000 00000000



NO. 920148

## NON-HAZARDOUS WASTE DATA FORM

Site:

EPA  
I.D.  
NO.

Not Required

NAME The Dial Corp  
The Dial Tower  
 ADDRESS 1850 N. Central Ave.. 9400 Rayo Ave.  
 CITY, STATE, ZIP Phoenix, AZ 85004 South Gate, CA

PROFILE  
NO.

404053

PHONE NO. 602 207-7100

CONTAINERS: No. \_\_\_\_\_ VOLUME \_\_\_\_\_ WEIGHT \_\_\_\_\_

TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER \_\_\_\_\_WASTE DESCRIPTION Soil GENERATING PROCESS Excavation  
COMPONENTS OF WASTE PPM % COMPONENTS OF WASTE PPM %1. Soil 99-100% 5. VOC 0.0 PPM2. TPH <.01% 6. \_\_\_\_\_3. \_\_\_\_\_ 7. BESI#9034

4. \_\_\_\_\_ 8. \_\_\_\_\_

PROPERTIES: pH \_\_\_\_\_ ☐ SOLID ☒ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER \_\_\_\_\_HANDLING INSTRUCTIONS: Wear appropriate protective clothingTHE GENERATOR CERTIFIES THAT THE  
WASTE AS DESCRIBED IS 100%  
NON-HAZARDOUS.

EMCON as an agent of THE DIAL Corp

TYPED OR PRINTED FULL NAME &amp; SIGNATURE

DATE

NAME Baunt Triple D EPA I.D. NO. \_\_\_\_\_ADDRESS 25835 Narbonne Ave SERVICE ORDER NO. \_\_\_\_\_CITY, STATE, ZIP Comila CA PICK UP DATE \_\_\_\_\_

PHONE NO. \_\_\_\_\_

TRUCK, UNIT, I.D. NO. 91 Carlos Morales 3-21-96  
TYPED OR PRINTED FULL NAME & SIGNATURE DATENAME Bradley Landfill EPA I.D. NO. \_\_\_\_\_ADDRESS 9227 Tujunga Ave. DISPOSAL METHOD ☐ LANDFILL ☐ OTHER \_\_\_\_\_CITY, STATE, ZIP Sun Valley, CA 91352PHONE NO. 818-767-6180

Steve Lee 3-22-96  
 TYPED OR PRINTED FULL NAME & SIGNATURE DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/Q		RT/CD	HWDF	NONE

DISCREPANCY

707515

TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY

**ATTACHMENT 3**

**LIMITATIONS**



## LIMITATIONS

---

The services described in this report were performed consistent with generally accepted professional consulting principles and practices. No other warranty, express or implied, is made. These services were performed consistent with our agreement with our client. This report is solely for the use and information of our client unless otherwise noted. Any reliance on this report by a third party is at such party's sole risk.

Opinions and recommendations contained in this report apply to conditions existing when services were performed and are intended only for the client, purposes, locations, time frames and project parameters indicated. We are not responsible for the impacts of any changes in environmental standards, practices or regulations subsequent to performance of services. We do not warrant the accuracy of information supplied by others, nor the use of segregated portions of this report.